– Rv I+D+i Actiu —






Vital Plus 300 PROGRAM VITAL PLUS 300

INDIVIDUAL DESKS



TWIN, 4 PEOPLE AND PROGRESSIVE BENCH



TRIPLE DESK - Vital PlusGEN





Vital Plus 300 PROGRAM VITAL PLUS 300

TECHNICAL FEATURES



INDIVIDUAL DESKS, TWIN, 4 PEOPLE AND PREOGRESSIVE BENCH, EXECUTIVE & MEETING DESKS

- 1 Hot rolled, pickled steel legs with a 50x80 mm section that is 2mm thick
- 2 Strip of hot rolled, pickled steel with a 50x40 mm section that is 2mm thick.
- 3 Central support arm (Only for 1800 mm and larger desks or with Compact Laminate surface)
- Moveable desk tops (only twin, 4 people and progressive becnh). Opening and closing safety system located in the lower part of the desk top that allows its movement to be operated.
- $\boxed{\mathbf{5}}$ 25mm MFC surface with rounded corners. 2 mm thick edges, applied with hot melt adhesive and rounded to R = 2 mm.
- 6 ABS ferrule with polypropylene levellers with non-slip patch.
- 7 Optional accessories, screens, cable outlets, cable channels, etc.



TRIPLE DESK - Vital Plus GEN

- 1 Hot rolled, pickled steel legs with a 50x80 mm section that is 2mm thick
- 2 Strip of hot rolled, pickled steel with a 50x40 mm section that is 2mm thick.
- 3 25mm MFC surface with rounded corners. 2 mm thick edges, applied with hot melt adhesive and rounded to R = 2 mm.
- 4 0.8 mm thick, sheet metal channel
- **5** 80 mm diameter polypropylene cover to allow for the passage of cables to the lower area.
- 6 ABS ferrule with polypropylene levellers with non-slip patch



Painted structures

The structures in white or black finishes are manufactured by welding the different components, forming a unique leg structure.



Wood-like structures

The structures in wood like finishes (lime oak and chestnut), are offered disassembled and with an easy system of union by means of unique bolts that contributes great robustness to the set.

VITAL PLUS 300 Vital Plus 300 PROGRAM

■ CABLE MANAGING

Vital Plus 300is available with several cable managing options.



Steel metal channel 0,8 mm to 1 mm thick, large capacity for double



Polystyrene riser cables



Sheet metal riser cables.



Wiring Access



The CPU supports can only be used on the progression bridges of quadruple tables and double progression tables (V83F; V84F; V85F; V830F; V840F; V850F).

"U" Access.

■ SCREENS





Desktop fixed screens.

CPU HOLDER



CPU holder of 25-30 x 49 cm and 1,5 mm thick.

■ ACCESSORIES Vital Plus 300- GEN











END PEDESTAL

- MFC 25 mm Transition desk-top.
- MFC front & structure.
- · Pedestal with acces to both faces
- 1 shelve for face
- 1 Drawer for face
- 1 Filing drawer for face
- Total dimensions: 60 x 80 x 74 cm


TRANSITION PEDESTAL WITHOUT TOP

- Pedestal with acces to both faces
- Without top
- MFC front & structure.
- 1 shelve for face
- 1 Drawer for face
- 1 Filing drawer for face
- Total dimensions: 35 x 80 x 74 cm

TRANSITION DESK-TOP

- MFC 25 mm Transition desk-top or use with pedestal without top.
- Total dimensions:
 - 60 x 80 x 2,5 cm
 - 80 x 80 x 2,5 cm





- Board of 10+10 mm.
- $\bullet~$ Upholstered foam of 5 mm. Upholstered finishes: Fabric T, Fabric F and Fabric M.
- Mobile screen. Anchoring system using an adaptable polycarbonate clamp.





- Board of 19mm.
- Upholstered foam of 5 mm. Upholstered finishes: FabricT, Fabric F and Fabric M.
- Fixed screen. Anchoring system screwed to the surface of the table

FINISHES

Top Finishes

White









Light oak









Structure with smooth finishes



woodgrain finishes


Structure with simulated

Lime oak

Chesnut



Vital Plus 300 - GEN



Vital Plus 300GEN, allows for different usability as a workstation:


- Use in Hot Desking (unassigned spaces), administrative spaces, workstations with laptops or light devices... where a large work surface is not needed for daily use
- Use in Fixed Stations (assigned spaces), open plan desking, workstations with computers and larger screens... where a large work surface is needed for daily use and the administration of different material.

■ EXAMPLE OF USE WITH LARGE SCREENS





■ CONFIGURATION EXAMPLES




Access to wiring VITAL PLUS 300


Optional Access to wiring Included Access to wiring

VITAL 300


INDIVIDUAL DESKS



DOUBLE DESKS



4 PEOPLE AND PROGRESSIVE BENCH




160

TRIPLE DESK - VITAL GEN

160

EXECUTIVE & MEETING TABLES





VITAL PLUS 300 ACCESS TO WIRING

CABLE ACCESS DESKS

T WIRING ACCESS MAXIMUM OPENING: 90°

Q WIRING ACCESS



R WIRING ACCESS

U WIRING ACCESS



- ABS injected lid
- Frame injected in ABS
- Injection-moulded polyamide clamping clips PA
- Black bristle brush with zincplated plate profile
- Polyamide guides for adjustment according to the thickness of the surface between 13 and 30 mm
- Dimensions: 25 x 8,7 cm

MAXIMUM OPENING: 110°

- Black die-cast aluminium frame
- Die-cast aluminium lid Aluminium guides for adjustment according to the thickness of the surface
- between 13 and 30 mm **Dimensions**: 30,5 x 12,1 cm

MAXIMUM OPENING: 180°

- Melamine lid of the same finish as the surface
- Black Bristle Brush
- Black die-cast aluminium frame
 - Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm
- Complete opening in 180° by means of hinges. **Dimensions**: 30,5 x 12,1 cm
- 80 mm diameter polypropylene cover for wiring to the bottom.
- The upper part incorporates a small flange for small cable passage and allows the complete cover to be removed for cable passage.
- Dimensions: Ø 8 cm

- Models with this standard cable access has the icon next to the code
- Desk price with the cable access is as per the attached table.
- To order different desks which the electrification access is not standard, please check sales team.
- To order desks with cable access, please add the corresponding letter according to the desired placement, at the end of the reference:

Front centered access	Left hand side	Right hand side	Centered access
T Q R U	TL QL RL UL	TR QR RR UR	TC QC RC UC

COMBINATIONS OF FINISHES OFFERED

MPORTANT NOTE: The combination of wired access is carried out in the following way:

(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)

T/Q/U-WIRING ACCESS

	Flip-up door	/ cover finish
Combinaciones Superficie/Estructura	White	Black
Surface: White Structure: Any Finish	•	
Surface: Any Finish - (Not White) Structure: White	•	
Surface: Any Finish - (Not White) Structure: Black		•

R WIRING ACCESS

	Flip-up door / cover finish
Combinations Surface/Structure	Finish Cover in the same colour as the surface
Surface: Any Finish	•

MPORTANT NOTE



ndividual and twin operative desks with sliding top. It is not available to fix metal container for T cable access, only metal cable channel.

Desk model	Finish Structure	Finish Surface	Cable Access	Final Reference
V14F	00	OO	T	V14F0000T
ndividual Table	White Structure	White MFC	Cable access	

INDIVIDUAL TABLE



		Sizes	Model (A x B)	V13 140 80 80	V14 160 80	V15 180 80	
				Levellers Height 74 cm V13F	Levellers Height 74 cm V14F	Levellers Height 74 cm V15 F	
		White	00	500.00	557.00	500.40	
Structure		Black	08	529,20	557,20	582,40	
Struc		Lime Oak	01	+ 254,80	+ 254,80	+ 254,80	
		Chesnut	03	1 204,00	1 204,00		
		White					
NE SE		Coco Grey Lime Oak					
Surface		Light Oak	10				
		Chesnut	07				
C. laminate		White	30	+ 302,40	+ 308,00	+ 345,80	
			T	+ 36,40	+ 36,40	+ 36,40	
ess		MFC	Q	+ 72,80	+ 72,80	+ 72,80	
Cable Access	Optional		R	+ 95,20	+ 95,20	+ 95,20	
ä		C. laminate	Т	+ 36,40	+ 36,40	+ 36,40	
		C. Lai	Q	+ 75,60	+ 75,60	+ 75,60	

Optional Access to wiring

Cofificación necesaria para configurar referncia.

model Sti	ructure Su	ırface	
V43F Twin Desk Whit		OO T Cable access	V43F0000T

TWIN DESK



		Size	Model s (A x B)	140 140 Levellers	160 160 Levellers	V45 180 160 Levellers	
				Height 74 cm Sliding Tops V43F	Height 74 cm Sliding Tops V44F	Height 74 cm Sliding Tops V45F	
		White	00	054.00	000 40	004.00	
Structure		Black	08	854,00	890,40	924,00	
Struc		Lime Oak	01	++ 268,80	++ 268,80	++ 268,80	
		Chesnut	03	11 200,00	#F 200,00		
		White					
SE SE		Coco Grey Lime Oak	15 11				
Surface		Light Oak	10				
S		Chesnut					
C. laminate		White	30	+ 604,80	+ 616,00	+ 691,60	
			Т	+ 72,80	+ 72,80	+ 72,80	
ess		MFC	Q	+ 145,60	+ 145,60	+ 145,60	
Cable Access	Optional (2 Units)		R	+ 190,40	+ 190,40	+ 190,40	
చ		C. laminate	Т	+ 72,80	+ 72,80	+ 72,80	
		C. Lai	Q	+ 151,20	+ 151,20	+ 151,20	

Optional Access to wiring

Cofificación necesaria para configurar referncia.

Desk model	Finish Structure	Finish Surface	Cable Access	Final Reference
V83F Quadruple tables	00 White Structure	00 White MFC	T Cable Access	V83F0000T

4 PEOPLE WORKSTATIONS





Optional Access to wiring

Cofificación necesaria para configurar referncia.

Desk model	Finish Structure	Finish Surface	Cable Access	Final Reference
V830F	00	OO	T	V830F0000T
Progression tables	White Structure	White MFC	Cable Access	

PROGRESSIVE BENCH



		Size	Model s (A x B)	V830 140 160	160	V850 180	
				Levellers Height 74 cm Sliding Tops V830F	Levellers Height 74 cm Sliding Tops V840F	Levellers Height 74 cm Stiding Tops V850F	
		White	00	74400	707.00	200.00	
ar ar		Black	08	714,00	765,80	809,20	
Structure		Lime 0ak	01	00.00	00.00	00.00	
		Chesnut	03	+ 96,60	+ 96,60	+ 96,60	
		White	00				
SE SE		Coco Grey	15 11				
Surface		Lime Oak Light Oak	10				
Sur		Chesnut	07				
C. Laminate		White	30	+ 604,80	+ 616,00	+ 691,60	
			Т	+ 72,80	+ 72,80	+72,80	
55		MFC	Q	+ 145,60	+ 145,60	+ 145,60	
Cable Access	Optional (2 Units)		R	+ 190,40	+ 190,40	+ 190,40	
చి		C. laminate	T	+ 72,80	+ 72,80	+ 72,80	
		C. lan	Q	+ 151,20	+ 151,20	+ 151,20	


Optional Access to wiring

Cofificación necesaria para configurar referncia.

Desk model	Finish Structure	Finish Surface	Final Reference	
V33F	00	00	V33F0000	
Triple Desk	White Structure	White MFC		

TRIPLE DESK - GEN







Metal cable tray included

Included Access to wiring

Cofificación necesaria para configurar referncia.

Desk model	Finish Structure	Finish Surface	Cable Access	Final Reference
V16F Twin desk Vital 300	00 White Structure	OO White MFC	T Cable Access T	V16F0000T

EXECUTIVE & MEETING TABLES





		S	Model izes (A x B)	100	120
				LEVELLERS Height 74 cm V16F	LEVELLERS Height 74 cm V48F
		Whi	te 00	674.00	4474.00
Structure		Bla	k 08	674,80	1174,60
Struc		Lime (lak 01	. 264.60	
		Ches	nut 03	+ 264,60	
		Wh	ite 00		
		Coco G	rey 15		
웊		Lime (lak 11		
		Light 0	_		
Surface		Ches			
		Dark (14		
C. Laminate		Wi	ite 30	+ 515,20	+ 0,00
Cristal		Wh	te 52	+ 781,20	+ 0,00
5		Bla	ck 58	+ 701,20	+ 0,00
			T	+ 36,40	
		3	Q	+ 72,80	
		MFC	R	+ 95,20	
Cable Access	Optional	-	g QC		+ 145,60
Cable	Opti	-	RC		+ 190,40
		inate	T	+ 36,40	
		la la	Q	+ 75,60	
			QC QC		

Optional Access to wi	ring
-----------------------	------

Coding required to configure reference.

They do not mean an increase in cost

CABLE ACCESS CANNOT BE INCORPORATED INTO TABLES WITH A GLASS SURFACE

Model	Front & Structure Finish	Top Finish	Final Reference	
V79	0	00	V79000	
edestal for end of layouts	MFC White	MFC White		

ACCESSORIES FOR VITAL 300

VI7








				V79	TW77	TW206	TW210
		S	Model iizes (A x B)	74.cm	35 80	8	80 80
				Pedestal with top Pedestal for end of layouts. Can be opened from both sides. Shelve + drawer + Filing drawer 779	Pedestal without top Pedestal to be used under extension table tops with cable driving and access from both sides. Shelve + drawer + Filing drawer USE WITH EXTENSION TABLE TOP TW77	Extension table top to be used: - As an additional extension top (supports up to 20kg) - With a pedestal without top 4 linking brackets included TW206	Extension table top to be used: - As an additional extension top (supports up to 20kg) - With 2 pedestals without top 4 linking brackets included TW210
Front & Structure	MFC	White	0				
		White	00		760,20		
		Coco Grey	15				
현	꾶	Lime Oak	11	784,00		120,40	126,00
Ĕ	Ī	Light Oak	10				
		Chesnut	07				
		Black	03	+ 51,80		+ 51,80	+ 78,40

ELECTRIFICATION SYSTEMS



Coding required to configure reference.

They do not mean an increase in cost

Combination not available.

Model	Finish	Final Reference
FVP34	00	FVP3400
124 cm Modesty anel for 140 cm desks.	White MFC	

MODESTY PANEL (Only for individual desks)

						•						
	Size	Model s (A x B)	28			ας	000000000000000000000000000000000000000		a c			28
			М	FC Modesty pan	iel	St	eel Modesty Par	nel	St	eel Modesty Par	nel	Aluminium Modesty Panel
			L=124 cm For 140 cm desks FVP34	L=144 cm For 160 cm desks FVP35	L=164 cm For 180 cm desks FVP36	L=124 cm For 140 cm desks FVP44	L=144 cm For 160 cm desks FVP45	L=164 cm For 180 cm desks FVP46	L=124 cm For 140 cm desks FVP64	L=144 cm For 160 cm desks FVP65	L=164 cm For 180 cm desks FVP66	L=164 cm For 180 cm desks FVP76
	White	00										
	Coco Grey	15										
윤	Black	80	77,00	81,20	85,40							
I	Lime Oak	11	77,00	01,20	00,40							
	Light Oak	10										
	Chestnut	07										
Steel	White	00				145,60	152,60	161,00	144,20	148,40	159,60	
20	Black	08				1 10,00		101,00	,20		107,00	
Aluminium	White	60										249,20
Brackets	White	В										
Brac	Black	N										

ACCESSORIES

	Sizes	Model s (A x B)	52 73-27 cm	9-14-cm 28	52 11 14	62,5 16 21	5,2 cm	80 4.5	75 03)
			ATX CPU	SLIM CPU	CABLE SPINE (METAL)	CABLE SPINE (METAL)	CABLE SPINE (METAL) 4 people or any	CABLE SPINE (POLYSTYRENE)	Braided textile wra quick and easy Offers additional p flames and	installation. rotection against
			Width adjustment. From 14 to 22cm	Width adjustment. From 9 to 14cm	Bench, 4 people or any bench progressive desk	Bench, 4 people or any bench progressive desk	bench progressive desk	Minimium units order: 3 units	Pack 1 Unit	Pack 4 Units
			50704	50705	5070	5071	5073	39525	39431	39434
Finish	White	0	127,40	113,40	112,00	134,40	210,00	26,60		
듄	Black	8	127,40	113,40	112,00	154,40	210,00	20,00	36,40	131,60

The CPU supports can only be used on the progression bridges of quadruple tables and double progression tables (V83F; V84F; V85F; V830F; V840F; V850F). Coding required to configure reference.

They do not mean an increase in cost

Combination not available.

Model	Finish	Final Reference
5749	0	57490
500mm Cable tray Individual desks	White	

ELECTRIFICATION SYSTEMS

	Sizes	Model (A x B))	50	1000		Ш
			500mm CABLE TRAY	Large Capac L=124 cm For 140 cm desks	ITY CABLE TRAY FOR INDI COMPLETE LENGTH L=144 cm For 160 cm desks	VIDUAL DESKS L=164 cm For 180/200 cm desks
			5769	5762	5764	5766
Finish	White	0	E2 20	70.00	77.00	70.00
듄	Black	8	53,20	70,00	77,00	79,80

	Sizes	Model (A x B))	3,8	3,8 €		42	3,8		29
				L	42 cm WIDTH ARGE CAPACITY CABLE TRA COMPLETE LENGTH	AY	L	29 cm WIDTH ARGE CAPACITY CABLE TR COMPLETE LENGTH	AY
			500mm CABLE TRAY - BENCH DESKS 5789	L=124 cm For 140 cm desks 5782	L=144 cm For 160 cm desks 5784	L=164 cm For 180 cm desks 5786	L=124 cm For 140 cm desks 6082	L=144 cm For 160 cm desks 6084	L=164 cm For 180 cm desks 6086
Finish	White	0	75,60	121,80	130,20	134,40	105,00	112,00	120,40
Ē	Black	8	73,00	121,00	130,20	134,40	100,00	112,00	120,40

	Size	Model s (A x B)	3,8	22	3,8	29
			LARGE CAPACI	WIDTH TY CABLE TRAY D LENGTH	29 cm LARGE CAPACI RECESSE	TY CABLE TRAY
			L=104 cm For 140cm/160cm desks 5780	L=124 cm For 180 cm desks 5782	L=104 cm For 140cm/160cm desks 6080	L=124 cm For 180 cm desks 6082
Finish	White	0	11/ 00	121.00	07.40	105.00
듄	Black	8	114,80	121,80	96,60	105,00




■ Desks mounted screens

Desk-Mounted screens, different sizes available, fixing kits and finishes. Easy to be adapted to any surface. They provide visual contact but at the same time privacy. Twin desks with electrification system have their own desk-mounted screens (D50 Serie for Vital or Arkitek)

■ DESK MOUNTED SCREENS OFFER






MFC SCREEN - e=19mm

19 mm thick Chipboard






GLASS SCREEN - e=8mm

Laminatd Security Glass (4+4 mm) / Tempered glass (8 mm)





METHACRYLATE SCREEN - e=8mm

8 mm thick White Methacrylathe






UPHOLSTERED SCREEN WITH FLEXIBLE PROFILE - e=20mm

- 1) 19 mm thick Chipboard
- 2 Different fabrics available glued using water glue.
 - Optional accoustic or fire resistant fabrics for projects.
- 3 8mm thick flexible Profile





UPHOLSTERED SCREEN WITH FLEXIBLE PROFILE - e=30mm

- 19 mm thick Chipboard
- 2 Foam thickness e= 5 mm and 60 Kg/m³ density (etotal= 30 mm)
- 3 Different fabrics available glued using water glue.
 - Optional accoustic or fire resistant fabrics for projects.
- 4 8mm thick flexible Profile

ZZ851 0 2T82 ZZ85102T82	
Screens for White bracket Upholstered finish dividual tables Fabric T Pack 1 Unit	

					ZH84		ZH85		ZH86	
Model Dimensions (A x B)					130		150		170	
					For 140 cm desk		For 160 cm desk		For 180 cm desk	
Units / Pack				nits / Pack	Pack 1 Ud.	Pack 2 Uds.	Pack 1 Ud.	Pack 2 Uds.	Pack 1 Ud.	Pack 2 Uds.
		Base Refernce			ZH841	ZH842	ZH851	ZH852	ZH861	ZH862
-	_		WHITE	0						
Bracke	finish		SILVER	2						
			BLACK							
Type of	surface	For use with Compact laminate surfaces you have to add a "F" at code		F	15,40	30,80	15,40	30,80	15,40	30,80
					MFC DIV	/IDER e = 19 m	m - h= 31 cm			
			White	00	78,40	144,20	82,60	155,40	89,60	168,00
1	E E		Coco Grey	15	78,40	144,20	82,60	155,40	89,60	168,00
			Black	08	78,40	144,20	82,60	155,40	89,60	168,00
		T			METHACRYLA	ATE DIVIDER e	= 8 mm - h= 28	cm		
	Methacrylate		White	90	166,60	320,60	173,60	336,00	219,80	431,20
UPHOLSTERED DIVIDERS WITH FLEXIBLE PROFILE e= 20 mm - h= 31 cm										
	GROUP 0		Group T	2T	110,60	212,80	124,60	235,20	134,40	254,80
Upholstered divider e= 20mm	GROUP 1		Group AE	2AE	149,80	291,20	168,00	322,00	184,80	355,60
Upholste	GROUP 2		Group D	2D	166,60	320,60	183,40	352,80	204,40	397,60
	GRC		Group M	2M	100,00	520,00	105,40	332,00	204,40	377,00

Divider Model Bracket finish Divider f	nish Final Reference	
ZV241 0 2T8	2 ZV24102T82	
reen for individual desk White Group T Uph 140 cm Pack 1 units	olstered	

SCREENS FOR TWIN DESKS 31 28 28 31 38 Upholstered divider Upholstered divider MFC Methacrylate Glass e= 20 mm e=30 mm ZV24 ZV25 ZV26 Model 130 150 170 Dimensions (A x B) For 140 cm desk For 160 cm desk For 180 cm desk Units / Pack Pack 1 Ud. Pack 2 Uds. Pack 1 Ud. Pack 2 Uds. Pack 1 Ud. Pack 2 Uds. Base Refernce ZV241 ZV242 ZV251 ZV252 ZV261 ZV262 WHITE 0 **Bracket** finish BLACK 8 MFC DIVIDER e = 19 mm - h= 31 cm White 00 82,60 155,40 88,20 165,20 95,20 180,60 띭 Coco Grey 15 82,60 155,40 88,20 165,20 95,20 180,60 08 Black 82,60 155,40 88,20 165,20 95,20 180,60 METHACRYLATE DIVIDER e = 8 mm - h= 28 cm White 90 172,20 333,20 183,40 352,80 228,20 443,80 GLASS DIVIDER e = 8 mm - h= 28 cm Frosted 50 236,60 459,20 246,40 481,60 278,60 544,60 Glass White 52 288,40 562,80 316,40 618,80 355,60 698,60 UPHOLSTERED DIVIDERS WITH FLEXIBLE PROFILE e= 20 mm - h= 31 cm 2T--120,40 225,40 247,80 140,00 270,20 Group T 131,60 Upholstered divider - e= 20 mm Group AE 2AE-158,20 301,00 176,40 337,40 191,80 373,80 2D--Group D GROUP 2 172,20 333,20 189,00 365,40 211,40 411,60 2M---Group M UPHOLSTERED DIVIDERS WITH FLEXIBLE PROFILE e= 30 mm - h= 38 cm Group T 3T--190,40 371,00 204,40 397,60 232,40 450,80 Upholstered divider - e=30 mm GROUP 1 Group AE 3AE--226,80 443,80 264,60 518,00 312,20 610,40 3D--Group D GROUP 2 239,40 462,00 295,40 575,40 354,20 694,40 3M---Group M


ivider Model	Divider Finish	Final Reference
ZMV161	T82	ZMV161T82
Nobile Divider for Triple deks Pack 1 Unit	Upholstered finish Fabric T	

TABLE TOP DIVIDERS FOR VITAL PLUS 300 - TRIPLE DESK 120°



Divider Upholstered:

- 1 Board of 19mm.
- 2 5mm foam (60kg/m3) on each side.
- 3 Upholstered finishes: Fabric T, AE, AO, D and M.
- 8mm thick flexible Profile.



			Dimens	Model sions (A x B)	ZWN30 FOR TRIPLE DESK 80 28 FABRIC		
					UPHOLSTERED DIVIDER FOR TRIPLE DESK VITAL PLUS 300 - GEN 80 cm Large		
			į	Units / Pack	Pack 3 Units ZWN303		
			UPHOLS	TERED DI	VIDER e= 30 mm - h= 28 cm		
	GROUP 0		Fabric T	3T	403,20		
Upholstered	GROUP 1		Fabric AE	3AE	446,60		
n	GROUP 2		Fabric D	3D	477,40		
			Fabric M	3M	4//,4U		

TOP MOBILE DIVIDER FOR VITAL PLUS 300 - TRIPLE DESK 120°



Mobile Divider Upholstered:

- Board of 10+10mm.
 Internal reinforcement plate 3mm thick, which gives it greater stability.
- 5 Internat remiorcement pace of min dates, and a size of the following of the
- Anchoring system using an adaptable polycarbonate clamp for surfaces of 13/19 and 25 mm.

					ZMV16		ZMV18	
Model Dimensions (A x B)					08 67	42	30	
					MOBILE UPHOLSTERED DIVIDER 67 cm Large		MOBILE UPHOLSTERED DIVIDER 86 cm Large	
			U	nits / Pack	Pack 1 Unit ZMV161	Pack 2 Units ZMV162	Pack 1 Unit ZMV181	Pack 2 Units ZMV182
Upholstered	GROUP 0		Fabric T	T	319,20	632,80	347,20	687,40
	GROUP 1		Fabric AE	AE	337,40	673,40	373,80	737,80
			Fabric AO	A0		073,40		
	GROUP 2		Fabric D	D	344,40	683,20 379,40	270 / 0	751,80
			Fabric M	M			731,00	