

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as February 2024.

DYNAMIC 45

— By I+D+i Actiu —



RECTANGULAR DESKS



CONFERENCE TABLES



MEETING DESKS

DESK HEIGHT 40 cm






■ TECHNICAL DETAILS

- ① MFC tops 19 mm thick. 3 standard finishes.
- ② Operative tables, for education, training etc.
- ③ 3 types of leg style: leveler, height adjustment and castors
- ④ Cable tray optional top, access to cable management and cable riser
- ⑤ Optional MFC Modesty panel
- ⑥ Optional CPU Holder

■ FRAME AND SUPPORTS

Legs: 1,5mm thick laminated steel, 45mm diameter legs.
Frame: 40 x 20 x 1.5 mm Rolled steel frame profile with epoxy finish.
Linking devices: Moulded aluminium linking devices with epoxy finish



Detail
Structure Frame



Detail
Moulded aluminium linking device

■ SUPPORTS

Legs available with three different supports:
ABS moulded **Levellers** with anti-skid caps.
Anti-skid 65 mm diameter **Castors**. Two lockable castors.
Mixed: 2 levellers + 2 Black, 65 mm diameter castors




■ FRAME FINISHES

Epoxy finish



■ SURFACE FINISHES

MFC (19 mm)





Configuration example: using trapezoidal table


■ **DYNAMIC ACCESSORIES**




Access to 'T' wiring.
Push Latch



Access to 'U' wiring.



Metallic Container use
with "T" Wiring access



Polystyrene cable
spine






Steel metal cable
riser



CPU Holder

Cable Access Desks

T Wiring Access	Q Wiring Access	U Wiring Access
		
Maximum opening: 90°	Maximum opening: 110°	
<ul style="list-style-type: none"> -ABS injected lid -Frame injected in ABS Injection-moulded polyamide clamping clips PA -Black bristle brush with zinc-plated plate profile -Polyamide guides for ad-justment according to the thic-kness of the surface between 13 and 30 mm -Dimensions: 25 x 11,7 cm 	<ul style="list-style-type: none"> -Black die-cast aluminium frame -Die-cast aluminium lid -Aluminium guides for ad-justment according to the thic-kness of the surface between 13 and 30 mm -Dimensions: 30,5 x 12,1 cm 	<ul style="list-style-type: none"> -80 mm diameter polypropylene cover for wiring to the bottom. -The upper part incorporates a small flange for small cable passage and allows the comple-te cover to be removed for cable passage. -Dimensions: Ø 8 cm

- Models with this standard cable access has the icon next to the code
- Desk price with the cable access is as per the attached table.
- To order different desks which the electrification access is not standard, please check sales team.
- To order desks with cable access, please add the corresponding letter according to the desired placement, at the end of the reference:

Front centered access	Left hand side	Right hand side	Centered access
T U	UL	UR	QC

Combinations of finishes offered

IMPORTANT NOTE: The combination of wired access is carried out in the following way:
(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)

T / Q / U - Wiring Access


Combinaciones Superficie/Estructura	Flip-up door / cover finish		
	White	Silver	Black
Surface: White Structure: White / Silver / Black	●		
Surface: Any Finish - (Not White) Structure: White	●		
Surface: Any Finish - (Not White) Structure: Aluminizaed		●	
Surface: Any Finish - (Not White) Structure: Black			●

SUPERIOR CABLE ACCESS LOCATION TO CABLING AND CONNECTIONS

RECTANGULAR DESKS - 80 cm WIDE


Front access

T U




Right lateral access

UR



Left lateral access


UL



MEETING DESKS

Centered access

QC



C NOTE: HOW TO ORDER DESKS WITH ROUNDED CORNERS

DYNAMIC-45 desks with round corners are a different product on the range. They can be used for training, education, conference, etc... Round edges avoid knocks and provide ergonomics to the desks keeping the curves of the program.




DYNAMIC DESKS WITH ROUNDED CORNERS

CONFERENCE TABLES

C	C	C
70 cm	140 cm	210 cm
50 <input type="text"/>	50 <input type="text"/>	50 <input type="text"/>
KN511	KN513	KN519

RECTANGULAR DESKS SAMPLE LAYOUT - ROUNDED CORNERS





KN513000C



Dynamic **KN513** rectangular desk with white MFC top, white frame with levelers and rounded corners

CODE
KN513000C




TABLE OF FINISHES



	WHITE	LIME OAK	LIGHT OAK	BLACK ANTI-FINGERPRINT
				
MFC	00	11	10	03

For more details of color finishes, go to the page of finishes. We recommend you to check our physical samples before ordering.

80cm WIDE RECTANGULAR DESKS







Model	Support	Finish Frame	Reference	MFC	MFC BLACK ANTI-FINGERPRINT	Packaging Packs- Vol - Weight
KN13 T U UR UL 	Leveler	White	KN130--	278,60	446,60	
		Black	KN138--			
KN14 T U UR UL 	Leveler	White	KN140--	296,80	464,80	
		Black	KN148--			
KN15 T U UR UL 	Leveler	White	KN150--	316,40	484,40	
		Black	KN158--			

ACCESS TO WIRING	R.R.P. UNIT - MFC
 <p>ACCESS TO 'U' WIRING</p>	23,80
 <p>ACCESS TO 'T' WIRING</p>	36,40

To order other desks with access to wiring which does not have the standard outputs, please consult our Sales Department.

TABLE OF FINISHES

	WHITE	LIME OAK	LIGHT OAK	BLACK ANTI-FINGERPRINT
				
MFC	00	11	10	03

For more details of color finishes, go to the page of finishes. We recommend you to check our physical samples before ordering.

60cm WIDE RECTANGULAR DESKS











Model	Support	Finish Frame	Reference	MFC	MFC BLACK ANTI-FINGERPRINT	Packaging Packs · Vol · Weight
KN611 	Leveler	White	KN6110--	218,40	288,40	
		Black	KN6118--			
KN612 	Leveler	White	KN6120--	253,40	343,00	
		Black	KN6128--			
KN613 	Leveler	White	KN6130--	268,80	368,20	
		Black	KN6138--			
KN630 	Leveler	White	KN6300--	275,80	375,20	
		Black	KN6308--			

TABLE OF FINISHES

	WHITE	LIME OAK	LIGHT OAK	BLACK ANTI-FINGERPRINT
				
MFC	00	11	10	03

For more details of color finishes, go to the page of finishes. We recommend you to check our physical samples before ordering.

50cm WIDE RECTANGULAR TABLES



Model	Support	Finish Frame	Reference	MFC	MFC BLACK ANTI-FINGERPRINT	Packaging Packs- Vol - Weight
KN511 C 	Leveler	White	KN5110--	214,20	268,80	
		Black	KN5118--			
	Castors	White	KN5110--R	231,00	285,60	
		Black	KN5118--R			
KN513 C 	Leveler	White	KN5130--	247,80	365,40	
		Black	KN5138--			
	Mixed: Levellers + Castors	White	KN5130--S	257,60	375,20	
		Black	KN5138--S			
	Castors	White	KN5130--R	264,60	382,20	
		Black	KN5138--R			
KN519 C 	Leveler	White	KN5190--	309,40	445,20	
		Black	KN5198--			
	Mixed: Levellers + Castors	White	KN5190--S	319,20	455,00	
		Black	KN5198--S			

ROUNDED CORNERS

R.R.P. UNIT

MFC



C **ROUNDED CORNERS**

35,00







All the Dynamic tables can be ordered with straight corners. To order tables with **rounded corners (C)**, the table code has to be completed with the finish of the optional castors indicating it after the top surface finish. Price should be increased as indicated below:

Example: **Rounded Corners (C)**: Table model: KN513000 + Rounded Corners: C + Castors: R = KN513000 **C R** 264,60 + 35,00 = 299,60

Example: **Rounded Corners (C)**: Table model: KN513000 + Rounded Corners: C + Mixed: R = KN513000 **C S** 257,60 + 35,00 = 292,60


TABLE OF FINISHES

	WHITE	LIME OAK	LIGHT OAK	BLACK ANTI-FINGERPRINT
				
MFC	00	11	10	03

For more details of color finishes, go to the page of finishes. We recommend you to check our physical samples before ordering.

MEETING DESKS - 74 cm HEIGHT



Model	Support	Finish Frame	Reference	MFC	MFC BLACK ANTI-FINGERPRINT	Packaging Packs · Vol · Weight
KN17 QC 	Leveler	White	KN170--	422,80	708,40	
		Black	KN178--			

ACCESS TO WIRING

R.R.P. UNIT

MFC



ACCESS TO "QC" WIRING

72,80

To order other desks with access to wiring which does not have the standard outputs, please consult our Sales Department.

60cm WIDE RECTANGULAR DESKS - COFFEE TABLE - HEIGHT 40 cm








Model	Support	Finish Frame	Reference	MFC	Packaging Packs · Vol · Weight
KN60 	Leveler	White	KN600--	211,40	281,40
		Black	KN608--		

TABLE OF FINISHES

	WHITE	LIME OAK	LIGHT OAK	BLACK
				
MFC	00	11	10	08

For more details of color finishes, go to the page of finishes. We recommend you to check our physical samples before ordering.

The brackets for MODESTY PANEL are supplied in a standard aluminized finish. In order to request the **BRACKETS OF THE MODESTY PANELS in WHITE (B) or BLACK (N)**, to use in tables of white or black structure, the corresponding letter must be added to the end of the reference.


Sample: MFC Modesty panel for 120 cm desk - **FVR33--**
White MFC finish: **00**
White finish brackets: **B**

} **FVR3300B**


Sample: MFC Modesty panel for 120 cm desk - **FVR33--**
White MFC finish: **00**
Black finish brackets: **N**

} **FVR3300N**


MODESTY PANELS (Only for Operative desks - 80 cm width)

Model	Dimensions (A x B)	Desks	References	MFC	Packaging Packs- Vol - Weight
 MFC	124 x 28 cm	For desks 140 cm	FVR34--	56,00	1•0,0209 m ³ • 4 Kg.
	144 x 28 cm	For desks 160 cm	FVR35--	60,20	1•0,0241 m ³ • 4,5 Kg.
	164 x 28 cm	For desks 180 cm	FVR36--	64,40	1•0,0274 m ³ • 5 Kg.


CPU HOLDER

Model	Description	Unit/Pack	White	Black	R.R.P. Unit	Packaging Packs- Vol - Weight
	The mobile CPU Holder can be used on any desk system	Pack 1 Unit	396040	396048	89,60	1•0,0045 m ³ • 0,4 Kg.

METALLIC WIRING CONTAINER FOR "T" WIRING ACCESS


Model	Dimensions (A x B x H)	Description	Unit/Pack	White	Black	R.R.P. Unit	Packaging Packs- Vol - Weight
	31,5 x 11,3 x 9,9 cm	Metallic Container for Connectivity elements. Use with "T" Wiring access	Pack 1 Unit	T110	T118	53,20	1•0,021 m ³ • 5 Kg.
			Pack 2 Units	T120	T128	102,20	

METALLIC WIRING CONTAINER FOR "Q" y "R" WIRING ACCESS

Model	Dimensions (A x B x H)	Description	Units/pack	White	Black	R.R.P.P. Unit	Packaging Packs- Vol - Weight
	40 x 13 x 12 cm	Metallic Container for Connectivity elements. Use with "T" Wiring access	1 Unit	CQR110	CQR118	68,60	1•0,021 m ³ • 5 Kg.
			2 Units	CQR120	CQR128	133,00	

POLIESTYRENE CABLE TRAY

Cable tray modules are in a 10 unit pack. You can order as many packs as necessary to complete the installation.



DESK TOP SIZE	NUMBER OF MODULES YOU NEED
For 80 cm desks	2
For 100 cm desks	2
For 120 cm desks	3
For 140 cm desks	4
For 160 cm desks	4
For 180 cm desks	4

Model	Description	Silver	R.R.P. Unit	Packaging Packs · Vol · Weight
	Polystyrene cable tray to use with Dynamic Tables Pack 10 Units - 3 meters	39515	61,60	1 · 0,020 m ³ · 3 Kg.

CABLE RISERS

Model	Dimensions (A x B x H)	Description	White	Black	R.R.P. Unit	Packaging Packs · Vol · Weight
	4,5 x 4,5 x 80 cm	Polystyrene cable spine, flexible. Minimum units order: 3 units. USE ONLY WITH CONTAINER FOR WIRING ACCESS "Q" OR WITH DIRECT FIXING TO TABLETOP	394250	394258	22,40	1 · 0,0045 m ³ · 0,4 Kg.
	7 x 4,5 x 80 cm	Polystyrene cable spine, flexible. Minimum units order: 3 units.	395250	395258	26,60	1 · 0,0045 m ³ · 0,4 Kg.
	8 x 5 x 52 cm	Steel cable riset, for single desks and benches. Pack 1 Unit.	50700	50708	112,00	1 · 0,008 m ³ · 2,5 Kg.
	15 x 10 x 62,5 cm	Steel cable riset, for single desks and benches. Pack 1 Unit.	50710	50718	134,40	1 · 0,021 m ³ · 5 Kg.

TEXTILE CABLE RISE

	MODEL AND SIZES	DESCRIPTION	UNITS/PACK	BLACK	RRP PACK	PACKAGING (Packs · Vol · Weight)
	Ø3 x 75 cm	Braided textile wrap with zipper for quick and easy installation. Offers additional protection against flames and abrasion	1 Unit	394318	36,40	
			4 Units	394348	131,60	