MOBILITY STEP









$\textbf{Mobility Step Electra} \cdot \mathsf{Desks} \ \mathsf{with \ electric \ elevation}$


Straight desks · Width 80 cm · Levelers




Executive desks · Width 100 cm · Levelers



Twin desks \cdot Width 164 cm \cdot Levelers



Straight desks and executive desks with auxiliary return \cdot Width 80 cm and 100 cm \cdot Levelers




Meeting tables · Width 100 cm · Levelers





Mobility Step Electra · Individual desks with electric elevation



- 1 MFC Top available with straight edge. Optional sliding tops.
- 2 Metal legs made of steel tube 70 x 70 mm and 1.5 mm thick. Available in white and black finish.
- Individual: Aluminum injection leg. Dimensions: 720 x 78 mm.
- Height adjustment: from 64 to 129 cm in compliance with EN 527-1:2011. Incorporates anti-collision safety system with objects.
- 5 Levelers of injected PP in black color.
- Desktop screens and accessories: Vertical desktop screens, CPU´s, desktop screens and modesty panels.
- Optional electrification: 1 mm thick steel sheet electrification channel, access to wiring and Top sliding for easy access to electrification. (Optional)
- 8 Maximum support weight: 60 kg distributed throughout the space.

$\textbf{Graphic description of details and customization} \cdot \textbf{Mobility Step Electra/Individual desks with electric elevation}$



Top with straight corners



720 x 78 mm cantilever



3 stages: Electric reg. 2 motors.



Wiring access



CONTROL UP & DOWN:

- Tilting for up and down
- Indicator lights



CONTROL PROGRAMABLE:

- Up & down buttons
- LED Display
- Memory function
- USB Charger



OPTIONAL BLUETOOTH CONTROL:

- Use mobile APP to control the height adjustable desk
- Compatible with both controllers
- Set sedentary reminder and health plan
- Set the password of desk
- Troubleshooting guide

9

(\$\frac{1}{3}\)

Mobility Step Electra · Twin desks with electric elevation



- MFC Top available with straight edge. Optional sliding tops.
- Metal legs made of steel tube 70 x 70 mm and 1.5 mm thick. Cover of 80 x 80 mm and thickness of 2 mm. Available in black and white finish.
- Height adjustment: from 64 to 129 cm in compliance with EN 527-1:2011. Incorporates anti-collision safety system with objects.
- 4 Levelers of injected PP in black color.
- **Desktop screens and accessories:** Vertical desktop screens, CPU´s, desktop screens and modesty panels.
- Optional electrification: 1 mm thick steel sheet electrification channel, access to wiring and Top sliding for easy access to electrification. (Optional)
- Maximum support weight: 60 kg distributed throughout the space.

Graphic description of details and customization · Mobility Step Electra / Twin desks with electric elevation



Top with straight corners



Leg with leveling



3 stages: Electric reg. 2 motors.



Wiring access



CONTROL UP & DOWN:

- Tilting for up and down
- Indicator lights



CONTROL PROGRAMABLE:

- Up & down buttonsLED Display
- LED DisplayMemory function
- USB Charger



OPTIONAL BLUETOOTH CONTROL:

- Use mobile APP to control the height adjustable desk
- Compatible with both controllers
- Set sedentary reminder and health plan
- Set the password of desk

Mobility Step Electra · Individual desks with auxiliary return and electric elevation



- MFC Top available with straight edge. Optional sliding tops.
- Metal legs made of steel tube 70 x 70 mm and 1.5 mm thick. Available in white and black finish.
- Individual: Aluminum injection leg. Dimensions: 720 x 78 mm.
- Height adjustment: from 64 to 128 cm in compliance with EN 527-1:2011. It incorporates a safety system to minimise damage due to collision with objects.
- 5 Auxiliary return: Surface available in MFC with straight edge. Reversible, can be placed on either side of the desk.
- 6 Auxiliary return: Stretcher made of 1,5 mm thick folded steel sheet. It incorporates an extendable system to adapt to any dimension.
- Auxiliary return: Glide made of 2 mm folded steel sheet. Dimensions: 500 x 78 m
- 8 Levelers of injected PP in black color.
- Desktop screens and accessories: Vertical desktop screens, CPU´s, desktop screens and modesty panels.
- Optional electrification: 1 mm thick steel sheet electrification channel, access to wiring and Top sliding for easy access to electrification. (Optional)
- Maximum support weight: 60 kg distributed throughout the space.

Graphic description of details and customization · Mobility Step Electra / Individual desks with electric elevation



Top with straight corners



720 x 78 mm cantilever



3 stages: Electric reg. 3 motors.



Wiring access



CONTROL UP & DOWN:

- Tilting for up and down
- Indicator lights



CONTROL PROGRAMABLE:

- Up & down buttons
- LED Display
- Memory function
- **USB** Charger



OPTIONAL BLUETOOTH CONTROL:

- Use mobile APP to control the height adjustable desk
- Compatible with both controllers
- Set sedentary reminder and health
- Set the password of desk
- Troubleshooting guide

Optional for projects



Top with beveled edge

For projects that require table surfaces with beveled edges, please contact our sales department.

Finishes available

MFC · 25 mm

White














Optional for projects

25 mm white laminate

For projects that require white stratified surfaces, please consult with the sales department.

Combination of foot, column and bracket finishes






Structure: White

Structure: Black

Optional complements

Top displacement



Top displacement (13 cm). Total accessibility to the electrification canal. Allows the displacement of double table tops and single tables towards the user, allowing easy access to the electrification channel. Optional on double tables: A larger lower channel with sheet metal covers is incorporated for housing and continuity of electrical systems.

Accessories and complements










Wiring access She

Sheet metal or MFC faldon

CPU's Support

Access to wiring and connections



- $\cdot \text{The models that incorporate these accesses in a standardized way show the corresponding icon or icons together with their reference.}\\$
- · The price of the tables with WIRING access will be increased for each unit incorporated, according to the price indicated in the attached table.
- · To request other tables with access to wiring that do not have standardized outlets (they will not contain any icon), please consult with the sales department.
- $\cdot \text{To request a table with access above the wiring, the following coding must be added at the end of the requested reference, according to its placement.}$

FRONT CENTERED ACCESS	FOCUSED ACCESS
TF QF RF	QC RC

Combinations of finishes offered


MELAMINE SURFACE FIN	IISHES AND STRUCTURE	COMBINATIONS OF FINISHES OFFERED			
Surface	Structure	T WIRING ACCES	Q WIRING ACCES	R WIRING ACCES	
	WHITE	WHITE	WHITE	WHITE	
WHITE	BLACK	WHITE	WHITE	WHITE	
	WHITE	WHITE	WHITE	COCO GREY	
COCO GREY	BLACK	BLACK	BLACK	COCO GREY	
	WHITE	WHITE	WHITE	LIME OAK	
LIME OAK	BLACK	BLACK	BLACK	LIME OAK	
	WHITE	WHITE	WHITE	LIGHT OAK	
LIGHT OAK	BLACK	BLACK	BLACK	LIGHT OAK	
	WHITE	WHITE	WHITE	CHESTNUT	
CHESTNUT	BLACK	BLACK	BLACK	CHESTNUT	
	WHITE	WHITE	WHITE	DARK OAK	
DARK OAK	BLACK	BLACK	BLACK	DARK OAK	
	WHITE	BLACK	BLACK		
BLACK ANTI-FINGERPRINT	BLACK	BLACK	BLACK		

Important note: The combination of the accesses with wiring is carried out as follows (If in any of the cases it is desired that the electrification output be in a different finish than the one established, the client must expressly indicate it in the order).

Superior cable access location to cabling and connections


Rectangular desks - 80 cm wide

Front access




Twin and progressive desks - 164 cm wide

Front access




Meeting desks - 100 cm wide

Centered access



How to code to reference correctly



- At the beginning of the coding and price tables of our price list, you will find the available models and their prices, as well as the basic reference of the product.
- The system is designed to code vertically, adding desired components to the product by selecting the reference digits. Creating to correlation that will form the final order reference.
- The finishes of arms, bases, optional complements, supports and upholstery will be shown in different colors so that the location of their reference and price is intuitive.
- At the end of each table we will have legends or informative notes about the product being offered.

 Please read carefully to avoid confusion or mistakes when ordering.
- This catalog has an interactive menu that will facilitate the user's navigation. It is located at the bottom of each page and from it you can go to the index, go back or even navigate within the family and the product displayed.

Example of reference configuration for an order

	МВ3
Straight individual tables	A01
Measures: 140 x 80 cm	1480
Mobility Step Electra Electric elevation	1
STRUCTURE	4
"I" side columns	J
SUPPORT	4
Levelers	F
SURFACE	4
MFC surface Light Oak	M10
STRUCTURE FINISH	.
White	00
TYPE OF TOP DESK	4
Straight corners / Fixed top	1
WIRING ACCESS	
	TF



*The final cost of the module will be obtained starting from the established base price and adding to it the cost of the different complements that are added to it.

Configuration required to set up reference. No cost increase Combination not available Removed after stocks are exhausted

Mobility Step Electra Electric ele Straight desks Width 80 cm	evation	120 cm	140 cm 80 gm	160 cm	180 cm —
MODEL		Individual desk with electric			
HEIGHT ADJUSTMEN'	т	height adjustment 64 to 128cm			
MEASURES		120x80cm	140x80cm	160x80cm	180x80cm
REFERENCE		MB3A011280I	MB3A011480I	MB3A011680I	MB3A011880I
BASE PRICE		1.066,80	1.073,80	1.083,60	1.096,20
		STRUCT	URE		
"I" side columns	J				
		SUPPO	DPT		
Levelers	F	30776	· ·		
	·	SURFACE	FINISH		
MFC White	M00	JORIACE	T INTO		
MFC Coco Grey	M15				
MFC Lime Oak	MII				
MFC Light Oak	M10				
MFC Chestnut	M07				
MFC Dark Oak	M14				
MDF Anti Fingerprint Black	MDF Anti Fingerprint Black M03		+ 161,00	+ 161,00	+ 161,00
		STRUCTURE	E FINISH		
White	00				
Black	08				
Charlish common / Fine days		TYPE OF TO	OP DESK		
Straight corners / Fixed top Straight corners / Sliding top	3	+ 53,20	+ 53,20	+ 53,20	+ 53,20
Straight corners, sharing top	3	. 55,20	. 33,20	, 33,20	, 33,20
		TYPE OF ELECTRI	CAL CONTROL		
US 120					
Up & Down EU 220					
UK 220					
US 120					4-1-
Digital programmable EU 220		+ 43,40	+ 43,40	+ 43,40	+ 43,40
UK 220	v B3				
		OPTIONAL WIR	ING ACCESS		
MFC	TF	+ 39,20	+ 39,20	+ 39,20	+ 39,20
. 1411 C	QF	+ 78,40	+ 78,40	+ 78,40	+ 78,40
MDF Anti Fingerprint Black					
	RF	+ 100,80	+ 100,80	+ 100,80	+ 100,80
		+ 100,80		+ 100,80	+ 100,80

Mobility Step Electr Twin desks Width 16	ra Electric elevation 64 cm		120 cm	Double desk with electric height	Double desk with electric height	180 cm
	MODEL		Double desk with electric height adjustment	adjustment	adjustment	Double desk with electric height adjustment
HEI	GHT ADJUSTMENT		64 to 128cm	64 to 128cm	64 to 128cm	64 to 128cm
	MEASURES		120x164cm	140x164cm	160x164cm	180x164cm
	REFERENCE		MB3A041216I	MB3A041416I	MB3A041616I	MB3A041816I
	BASE PRICE		2.237,20	2.255,40	2.270,80	2.294,60
			STRUCT	URE		
"H" side	columns	К				
			SUPPO	DT		
Leve	elers	F	SUPPO			
		•				
			SURFACE	FINISH		
MFC \		М00				
MFC Co		M15				
MFC Lin		M11				
MFC Lig		M10				
(中国大学の支持を行る方式を2.3 12)が 実施が 事務の (13 12 12 12 12 12 12 12 12 12 12 12 12 12	ark Oak	M07				
	gerprint Black	M03	+ 243,60	+ 322,00	+ 322,00	+ 322,00
			,	,	,	,
			STRUCTURE	FINISH		
Wh		00				
Bla	ack	08				
			TYPE OF TO	DP DESK		
Straight corne	ers / Fixed top	1				
Straight corne	rs / Sliding top	3	+ 106,40	+ 106,40	+ 106,40	+ 106,40
			TYPE OF ELECTRI	CAL CONTROL		
	US 120v	A1				
Up & Down	EU 220v	A2				
	UK 220v	А3				
	US 120v	B1				
Digital programmable	EU 220v	B2	+ 86,80	+ 86,80	+ 86,80	+ 86,80
	UK 220v	В3				
			OPTIONAL WIR	ING ACCESS		
		TF	+ 78,40	+ 78,40	+ 78,40	+ 78,40
MDF Anti Fing	FC gerprint Black	QF	+ 156,80	+ 156,80	+ 156,80	+ 156,80
		RF	+ 201,60	+ 201,60	+ 201,60	+ 201,60
			OPTIONAL BLUETO	OOTH CONTROL		
Optional bluetooth cor	ntrol of the table height I hand controllers	ВТ	+ 100,80	+ 100,80	+ 100,80	+ 100,80
Compatible for al	ı nand controllers	51	100,00	100,00	. 100,00	1.00,00

Mobility Step Electi Executive desks Wic	th 100 cm		200 cm ——————————————————————————————————			
	MODEL		Executive desk with electric height adjustment			
HEI	GHT ADJUSTMENT MEASURES		64 to 128cm 200x100cm			
	REFERENCE		MB3F012010I			
	BASE PRICE		1.141,00			
			STRUCTURE			
"I" side o	columns	J				
			SUPPORT			
Leve	lers	F				
			SURFACE FINISH			
MFC \	White	M00				
MFC Co	co Grey	M15				
MFC Lir	MFC Lime Oak M11					
MFC Lig	ght Oak	M10				
MFC Ch	MFC Chestnut M07					
MFC Da	MFC Dark Oak M14					
MDF Anti Fing	erprint Black	M03	+ 242,20			
			STRUCTURE FINISH			
Wh	ite	00				
Bla	ck	08				
			TYPE OF TOP DESK			
Straight corne	ers / Fixed top	1				
Straight corne	rs / Sliding top	3	+ 53,20			
			TYPE OF ELECTRICAL CONTROL			
	US 120v	A1				
	EU 220v	A2				
Up & Down						
Up & Down	UK 220v	A3				
Up & Down	UK 220v US 120v	A3 B1				
Up & Down Digital programmable			+ 43,40			
	US 120v	B1	+ 43,40			
	US 120v EU 220v	B1 B2	+ 43,40 OPTIONAL WIRING ACCESS			
Digital programmable	US 120V EU 220V UK 220V	B1 B2				
	US 120V EU 220V UK 220V	B1 B2 B3	OPTIONAL WIRING ACCESS			
Digital programmable	US 120V EU 220V UK 220V	B1 B2 B3	OPTIONAL WIRING ACCESS + 39,20			
Digital programmable	US 120V EU 220V UK 220V	B1 B2 B3 TF QF	OPTIONAL WIRING ACCESS + 39,20 + 78,40			

Mobility Step Electra Individual desk and re Widht 80 cm		urn	160 cm 176 cm 96 cm REVERSIBLE	160 cm - 160	180 cm 176 cm 176 cm 176 cm	180 cm 180 cm REVERSIBLE - 60 cm -
	MODEL		Individual desk and reversible auxiliary return with electric height adjustment	Individual desk and reversible auxiliary return with electric height adjustment	Individual desk and reversible auxiliary return with electric height adjustment	Individual desk and reversible auxiliary return with electric height adjustment
HEIGH	T ADJUSTMENT		64 to 128cm	64 to 128cm	64 to 128cm	64 to 128cm
MEA	SURES (DESK)		160x80cm	160x80cm	180x80cm	180x80cm
MEASURES	(AUXILIARY RETURN)		96x60cm	120x60cm	96x60cm	120x60cm
R	EFERENCE		MB3D081617I	MB3D081620I	MB3D081817I	MB3D081820I
В	ASE PRICE		1.715,00	1.727,60	1.727,60	1.738,80
			STRUCT	URE		
"I" side col	umns	J				
			CURRO			
Levelei	· s	F	SUPPO	ORT		
Ecvelor	<u></u>	<u></u>				
		I	SURFACE	FINISH		
MFC Wh	nite	M00				
MFC Coco		M15				
MFC Lime		MII				
MFC Light		M10				
MFC Ches		M07				
MFC Dark	HISME STEERS HAD CARRED IN TEPP EASI CAST FIRE	M14				
MDF Anti Finger	print Black	M03	+ 221,20	+ 240,80	+ 221,20	+ 240,80
			STRUCTURE	FINISH		
White	•	00				
Black	:	08				
			TYPE OF TO	DP DESK		
Straight corners	/ Fixed top	1				
			TYPE OF ELECTRI	CAL CONTROL		
_	US 120v	A1				
Up & Down	EU 220v	A2				
	UK 220v	A3				
_	US 120v	B1				
Digital programmable	EU 220v UK 220v	B2	+ 43,40	+ 43,40	+ 43,40	+ 43,40
	UN 22UV	В3				
			OPTIONAL WIR	ING ACCESS		
		TF	+ 39,20	+ 39,20	+ 39,20	+ 39,20
MFC MDF Anti Finger	print Black	QF	+ 78,40	+ 78,40	+ 78,40	+ 78,40
		RF	+ 100,80	+ 100,80	+ 100,80	+ 100,80
			OPTIONAL BLUETO	OOTH CONTROL		
Optional bluetooth contro Compatible for all ha	of the table height and controllers	ВТ	+ 50,40	+ 50,40	+ 50,40	+ 50,40
		1	J	1		

Mobility Step Electra Electric elevation Executive desk and reversible auxiliary return Widht 100 cm		200 cm 100 cm 196 cm REVERSIBLE	200 cm 120 cm REVERSIBLE	
	MODEL		Executive desk and reversible auxiliary return with electric height adjustment	Executive desk and reversible auxiliary return with electric height adjustment
HEIC	GHT ADJUSTMENT		64 to 128cm	64 to 128cm
МЕ	ASURES (DESK)		200x100cm	200x100cm
MEASURE	S (AUXILIARY RETURN)		96x60cm	120x60cm
	REFERENCE		MB3F082019I	MB3F082022I
	BASE PRICE		1.772,40	1.785,00
			STRUCTURE	
"I" side c	olumns	J		
			SUPPORT	
Leve	lers	F		
			SURFACE FINISH	
MFC V	MFC White M00			
MFC Coo	MFC Coco Grey M15			
MFC Lin	MFC Lime Oak M11			
MFC Lig	MFC Light Oak M10			
MFC Ch	MFC Chestnut M07			
MFC Da	rk Oak	M14		
MDF Anti Fing	MDF Anti Fingerprint Black M03		+ 302,40	+ 320,60
			STRUCTURE FINISH	
Wh	ite	00		
Bla	Black 08			
			TYPE OF TOP DESK	
Straight corne	rs / Fixed top	1		
			TYPE OF ELECTRICAL CONTROL	
	US 120v	Al		
Up & Down	EU 220v	A2		
	UK 220v	А3		
	US 120v	B1		
Digital programmable	EU 220v	B2	+ 43,40	+ 43,40
	UK 220v	В3		
			OPTIONAL WIRING ACCESS	
		TF	+ 39,20	+ 39,20
MF MDF Anti Fing		QF	+ 78,40	+ 78,40
		RF	+ 100,80	+ 100,80
			OPTIONAL BLUETOOTH CONTROL	
Optional bluetooth con	trol of the table height hand controllers	ВТ	+ 50,40	+ 50,40

MODEL Meeting table with electric height adjustment	
HEIGHT ADJUSTMENT 64 to 128cm	
MEASURES 200x100cm	
REFERENCE MB3G012010I	
BASE PRICE 1.177,40	
STRUCTURE	
"I" side columns	
SUPPORT	
Levelers F	
SURFACE FINISH	
MFC White M00	
MFC Coco Grey M15	
MFC Lime Oak MII	
MFC Light Oak M10	
MFC Chestnut M07	
MFC Dark Oak M14	
MDF Anti Fingerprint Black	
STRUCTURE FINISH	
White 00	
Black 08	
TYPE OF TOP DESK	
Round corners / Fixed top 2	
TYPE OF ELECTRICAL CONTROL	
US 120v A1	
Up & Down EU 220v A2	
UK 220v A3	
US 120v B1	
Digital programmable EU 220v B2 + 43,40	
UK 220v B3	
OPTIONAL WIRING ACCESS	
MFC QC + 78,40	
MDF Anti Fingerprint Blacks RC + 100,80	
OPTIONAL BLUETOOTH CONTROL	
Optional bluetooth control of the table height Compatible for all hand controllers BT + 50,40	

Hand crank lift system elevation

 $\mathsf{Steel} \cdot \mathsf{White}$

Steel · Black


ММ

C00

C08

Modesty panels · Mobility Step Straight desks		710cm 28 cm	130 cm	150 cm 28 cm	770 cm 28 cm		
MEASURES		110 x 28 cm	130 x 28 cm	150 x 28 cm	170 x 28 cm		
COMPATIBILITY		120cm tables	140cm tables	160cm tables	180cm tables 200cm tables		
PACKS		Pack 1 unit	Pack 1 unit	Pack 1 unit	Pack 1 unit		
REFERENCE		XMBFA11128	XMBFA11328	XMBFA11528	XMBFA11728		
		FINISHED B	RACKETS				
White	00	78,40	79,80	82,60	84,00		
Black	08	78,40	79,80	82,60	84,00		
	STRUCTURE						
MFC · White	M00						
MFC · Coco Grey	M15						
MFC - Lime Oak	MII						
MFC · Light Oak	M10						
MFC · Chestnut	M07						
MFC - Dark Oak	M14						
MFC · Black	M08						
Steel · White	C00	+ 64,40	+ 71,40	+ 79,80	+ 92,40		
Steel - Black	C08	+ 64,40	+ 71,40	+ 79,80	+ 92,40		
CPU support		80 cm	BB	Baga Socon	DE D		
FEATURES	FEATURES Hanging CPU			PU's adjustable in width from 9	0 to 22cm		
COMPATIBILITY		Electric	elevation	Hand crank lift s	ystem elevation		
PACKS		Pack	1 unit	Pack	l unit		
REFERENCE		ХМВС	P12209	ХМВСЕ	P12209		
		COMPATI	BILITY				
Electric elevation	ME	107	7,80				


107,80




Accessories electrification container Straight and twin desks	12cm 40cm	13cm	90,9 mm 310,5 mm	110,3 mm
MEASURES	400 x 120 x 13cm		310,5 x 90,9	x 110,3 mm
COMPATIBILITY	Container for electrification accessories with Q and R wiring access.		Container for electrification ac	cessories with T wiring access.
PACKS	Pack 1 unit Pack 2 units		Pack 1 unit	Pack 2 units
REFERENCE	CQRII	CQR12	тп	Т12

FINISHES						
White	o	F1.40	170.50	55.00	100 (0	
Black	8	71,40	138,60	56,00	106,40	

Compatibility of cable container for straight and twin desks








Steel · White	C00			
Steel · Black	C08			

Compatibility of cable container for straight and twin desks










Electrification tray Double tables · Width 164cm	103cm 103cm	25cm 123cm	16 cg	11.5 cm
MEASURES	103 x 25 x 11,5 cm	123 x 25 x 11,5 cm	143 x 25 x 11,5 cm	163 x 25 x 11,5 cm
COMPATIBILITY	120cm tables	140cm tables	160cm tables	1800/200cm tables
PACKS		Pack 1 unit · Includes polyst	zyrene cable riser extension	
REFERENCE	XMBTC1D31025	XMBTC1D41225	XMBTC1D51425	XMBTC1D61625

TYPE OF BRACKETS									
Fixed	A	239,40	249,20	260,40	285,60				

STRUCTURE										
Steel · White	C00									
Steel · Black	C08									

Compatibility of cable container for twin desks





SCREEN-MODESTY PANEL FOR INDIVIDUAL USE



			MFC		Upholstered divide e= 20 mm			holstered divider e=30 mm						
	Model Dimensions (A x B)			ZB83 120 50		ZB84 140 50	140		ZB85 50		ZB86 180 50			
					For 120 cm desk			For 140 cm desk			For 160 cm desk		For 180 cm desk	
	Units / Pack				Pack 1 Un.	Pack 2 Uns.	Pack 1 Un.	Pack 2	Uns.	Pack 1 Un.	Pack 2 Uns.	Pack 1 Un.	Pack 2 Uns.	
	Base Reference			ZB831	ZB832	ZB841	ZB8	42	ZB851	ZB852	ZB861	ZB862		
Bracket	nish		White	0										
Ä	=	Black 8												
							MFC DIVIDER e = 19 i	mm - h= 50	cm					
			White	00	91,00	169,40	96,60	186	20	102,20	194,60	107,80	204,40	
2	Ē		Coco Grey	15	91,00	169,40	96,60	186	20	102,20	194,60	107,80	204,40	
			Black	08	91,00	169,40	96,60	186	20	102,20	194,60	107,80	204,40	
					1	UPHOLSTERE	D DIVIDERS WITH FLEXIB	LE PROFILE	e= 20 mn	n - h= 50 cm		,		
	GROUP 0		Group T	2T	166,60	319,20	186,20	350	.00	194,60	375,20	221,20	428,40	
Upholstered divider - e=20 mm	GROUP 1		Group AE	2AE	233,80	453,60	252,00	484	,40	264,60	515,20	291,20	571,20	
red divic			Group AO	2AO										
Upholste	GROUP 2		Group D	2D	261,80	509,60	281,40	546	.00	294,00	571,20	319,20	627,20	
	8	50.7171	Group M	2M	,	·	<u> </u>			·	, 	,		
					T	UPHOLSTERE	D DIVIDERS WITH FLEXIB	LE PROFILE	e= 30 mn	n - h= 50 cm		I		
	CROUP 0		Group T	3T	208,60	407,40	226,80	443	,80	240,80	464,80	274,40	533,40	
Upholstered divider - e=30 mm	GROUP 1		Group AE	3AE	275,80	540,40	296,80	582	.40	312,20	607,60	345,80	676,20	
red divider	Š		Group AO	3AO		5, .5		332	-		,00	- 13/00	- : 3,20	
Upholste	GROUP 2		Group D	3D	305,20	596,40	324,80	638	.40	338,80	667,80	373,80	733,60	
	Š		Group M	3M	-,					,	,	,,==	,	

MOBILITY STEP

SCREENS FOR TWIN DESKS



				Model	ZB43	20	ZB44	40	ZB45	60	ZB46		
			Dimensio	ons (A x B	65		65	65		65		65	
					For 120 cm desk			40 cm esk	For 160 cm desk		For 180 cm desk		
	Units / Pack				Pack 1 Un.	Pack 2 Uns.	Pack 1 Un.	Pack 2 Uns.	Pack 1 Un. Pack 2 Uns.		Pack 1 Un.	Pack 2 Uns.	
	Base Refernce				ZB431	ZB432	ZB441	ZB442	ZB451	ZB452	ZB461	ZB462	
cket	finish		White	0									
Bra	=	Black 8											
							MFC DIVIDER e = 19 r	nm - h= 65 cm					
			White	00	114,80	218,40	121,80	228,20	130,20	240,80	134,40	253,40	
5	N N		Coco Grey	15	114,80	218,40	121,80	228,20	130,20	240,80	134,40	253,40	
			Black	08	114,80	218,40	121,80	228,20	130,20	240,80	134,40	253,40	
				1		UPHOLSTERED DI	VIDERS WITH FLEXIB	LE PROFILE e= 20 mm	n - h= 65 cm				
	GROUP 0		Group T	2T	203,00	390,60	207,20	403,20	214,20	418,60	240,80	464,80	
=20 mm	=		Group AE	2AE			267,40	522,20	280,00	550,20	309,40	602,00	
d divider - e	CROUP 1		Group AO	2 AO	250,60	487,20							
UUpholstered divider - e=20 mm	2		Group D	2D				555,80	306,60	596,40	336,00	659,40	
	GROUP 2		Group M	2M	270,20	519,40	284,20						
		potentia de la companya del companya de la companya del companya de la companya d	огоар т	Zivi									
	0					UPHOLSTERED DI	VIDERS WITH FLEXIB	LE PROFILE e= 30 mm	n - h= 65 cm				
	GROUP		Group T	3T	250,60	484,40	260,40	505,40	273,00	530,60	303,80	590,80	
e=30 mm	CROUP 1		Group AE	3AE	200.60	579,60	710.20	625.80	779 90	662,20	372,40	726,60	
UUpholstered divider - e=30 mm	GRO		Group AO	3 AO	299,60	3/3,00	319,20	625,80	338,80	002,20	3/2,40	/20,00	
UUpholster	1P.2		Group D	3D									
	GROUP2				610,40	334,60	655,20	361,20	708,40	397,60	782,60		