

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2024.


Dorik

by Odosdesign




Program of tables


Tables · Height 740 mm




DR1S010040C




DRIT017070J



DRIT018080J




DRIT030080J




DRIT030100J


Tables · Height 740 mm




DR1S010055C




DR1S010055C




DR1S010055C




DR1S011969C




DRIT030120K



DRIT030140L



DRIT030160L




DRIT042412L

Tables · Height 1050 mm




DR1S010036D



DRIT016060J




DRIT010060J




DRIT030080J


Coffee tables · Height 350 mm




DR1S010049A



DRIT030080K



DRIT030100K



DRIT030120K

Technical profile

Dorik · Tables height 740 mm · Column height 721 mm and diameter 400 mm



Available desk-top dimensions



700 x 700 mm
800 x 800 mm



Ø 800 mm
Ø 1000 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 60 kg. Three bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish.



OUTDOOR

Option available for outdoor use, **provided the desk-top inishes is in compact laminate®** and does not have electrical accessories.

Dorik · Tables height 740 mm · Column height 705 mm and diameter 550 mm



Available desk-top dimensions



Ø 1200 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 80 kg. Four bags of soil to be ordered separately.
- 4 Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR

Option available for outdoor use, **provided the desk-top inishes is in compact laminate®** and does not have electrical accessories.



Available desk-top dimensions



Ø 1400 mm
Ø 1600 mm

- 1 Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2 Black injected polypropylene (PP) levellers.
- 3 Inner counterweight of 80 kg. Four bags of soil to be ordered separately.
- 4 Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish

Technical profile

Dorik · Tables height 740 mm · Columns height 721 mm and diameter 400 mm



Available desk-top dimensions




2400 x 1200 mm

- 1** Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2** Black injected polypropylene (PP) levellers.
- 3** Inner counterweight of 60 kg per column, a total counterweight of 120 kg. Six bags of soil to be ordered separately.
- 4** Structure realized in melamine board of 16 mm of thickness, like support of the work surface. Black finish

Dorik · Coffee table height 350 mm · Column height 331 mm and diameter 490 mm



Available desk-top dimensions



Ø 800 mm

Ø 1000 mm

Ø 1200 mm

- 1** Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2** Black injected polypropylene (PP) levellers.
- 3** Inner counterweight of 40 kg. Two bags of soil to be ordered separately.
- 4** Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR

Option available for outdoor use, **provided the desk-top finishes is in compact laminate®** and does not have electrical accessories.


Dorik · Tables height 1050 mm · Column height 1031 mm and diameter 370 mm



Available desk-top dimensions



600 x 600 mm



Ø 600 mm

Ø 800 mm

- 1** Column made of polyethylene by rotational moulding with an average thickness of 6 mm. Available in different finishes.
- 2** Black injected polypropylene (PP) levellers.
- 3** Inner counterweight of 60 kg. Three bags of soil to be ordered separately.
- 4** Structure realized in sheet steel of 3 mm of thickness, like support of the work surface. Black finish



OUTDOOR



Option available for outdoor use, **provided the desk-top finishes is in compact laminate®** and does not have electrical accessories.

Finishes available

Desk-top


MFC · Thickness: 19 mm with straight edge

Chipboard with melamine surface in different finishes with a thickness of 19 mm.





Compact Laminate · Thickness: 10 mm with bevelled edge

10 mm thick compact board made of wood fibres. With white or decorated high pressure laminate and bevelled edge.



MDF · Thickness: 19 mm with bevelled edge

Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge




STRUCTURE

Polythene



How to code a reference correctly



- 1 At the beginning of the coding and price tables of our price list, you will find the available models and their prices, as well as the basic reference of the product.
- 2 The system is designed to code vertically, adding desired components to the product by selecting the reference digits. Creating a correlation that will form the final order reference.
- 3 The finishes of arms, bases, optional complements, supports and upholstery will be shown in different colors so that the location of their reference and price is intuitive.
- 4 At the end of each table we will have legends or informative notes about the product being offered. Please read carefully to avoid confusion or mistakes when ordering.

Example of reference configuration for an order

DORIK	DR1
Structure · Central column	S01
Measures: Ø 400 mm	0040
Height 72,1 cm	C

STRUCTURE	+
Central column	J

SUPPORT	+
Levelers	F

STRUCTURE FINISH	+
Black	08

FINAL CONFIGURATION REFERENCE
DR1 S01 0040 C F 08

DORIK	DR1
Top desk · Circular top desk	T03
Measures: Ø 1000 mm	0100
Support of the work surface · Type A	J

SURFACE	+
MFC · Light Oak	M10

FINAL CONFIGURATION REFERENCE
DR1 T03 0100 J M10



* The final cost of the module will be obtained starting from the established base price and adding to it the cost of the different complements that are added to it.


	Configuration required to set up reference. No cost increase		Combination not available		Removed after stocks are exhausted
--	--	--	---------------------------	--	------------------------------------

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to order the counterweights. The counterweights required are indicated above each reference.

Column · Tables

Height 740 mm
Support of the work surface included



MEASUREMENT	Ø 400 mm
HEIGHT	721 mm
NECESSARY COUNTERWEIGHTS	3 units (Total: 60 kg)
REFERENCE	DRIS010040C

STRUCTURE

Central column	I	387,80
----------------	----------	--------

SUPPORT

Levelers	F	
----------	----------	--

STRUCTURE FINISH


White	00	
Mink	20	
Black	08	

INTEGRATED ELECTRICAL CONDUIT OPTIONAL (ONLY FOR DESK-TOP WITH WIRING ACCESS)

MFC Laminated DM	SC	+ 63,00
------------------	-----------	---------

Desk-top · Tables

Height 740 mm




MEASUREMENT	700 x 700 mm	800 x 800 mm	Ø 800 mm	Ø 1000 mm
REFERENCE	DRIT017070J	DRIT018080J	DRIT030080J	DRIT030100J

DESK-TOP FINISHES

MFC · White	M00				
MFC · Gris Coco	M15				
MFC · Lime Oak	M11	138,60	155,40	155,40	170,80
MFC · Light Oak	M10				
MFC · Chestnut	M07				
MFC · Dark Oak	M14				
MFC · Black Anti-fingerprint	M03	162,40	197,40	197,40	245,00
Compact Laminate · Traffic White	F20	233,80	306,60	306,60	406,00
Compact Laminate · Samas Black	F28	299,60	399,00	399,00	546,00
Compact Laminate · Marmo Olimpo	F21	438,20	596,40	596,40	841,40
Compact Laminate · Pulpis Light	F26				
Laminated DM · Light Oak	L10			498,40	676,20

COMPLEMENTS

Counterweights




DESCRIPTION	Counterweight of 20 kg
REFERENCE	XDRSC1

	Configuration required to set up reference. No cost increase		Combination not available		
--	---	--	---------------------------	--	--

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to order the counterweights. The counterweights required are indicated above each reference.

Column · Tables
Height 740 mm
Support of the work surface included



MEASUREMENT	Ø 550 mm / Ø 490 mm	Ø 550 mm / Ø 780 mm	Ø 550 mm / Ø 960 mm
HEIGHT	705 mm	718 mm	718 mm
NECESSARY COUNTERWEIGHTS	4 units (Total: 80 kg)	4 units (Total: 80 kg)	4 units (Total: 80 kg)
REFERENCE	DRIS010055C	DRIS010055C	DRIS010055C

STRUCTURE

Central column for desk-top of Ø 1200 mm	L	484,40		
Central column for desk-top of Ø 1400 mm	N		529,20	
Central column for desk-top of Ø 1600 mm	P			546,00

SUPPORT

Levelers	F			
----------	----------	--	--	--




STRUCTURE FINISH

White	00			
Mink	20			
Black	08			

INTEGRATED ELECTRICAL CONDUIT OPTIONAL (ONLY FOR DESK-TOP WITH WIRING ACCESS)

MFC Laminated DM	SC	+ 63,00	+ 63,00	+ 63,00
------------------	-----------	---------	---------	---------

Desk-top · Tables
Height 740 mm




MEASUREMENT	Ø 1200 mm	Ø 1400 mm	Ø 1600 mm
REFERENCE	DRIT030120K	DRIT030140L	DRIT030160L

DESK-TOP FINISHES

MFC · White	M00	240,80	365,40	396,20
MFC · Gris Coco	M15			
MFC · Lime Oak	M11			
MFC · Light Oak	M10			
MFC · Chestnut	M07			
MFC · Dark Oak	M14			
MFC · Black Anti-fingerprint	M03			
Compact Laminate · Traffic White	F20	586,60	756,00	1.090,60
Compact Laminate · Samas Black	F28	765,80	1.015,00	1.478,40
Compact Laminate · Marmo Olimpo	F21	1.181,60	1.568,00	2.308,60
Compact Laminate · Pulpis Light	F26			
Laminated DM · Light Oak	L10	907,20	1.163,40	1.842,40

COMPLEMENTS

Counterweights



DESCRIPTION	Counterweight of 20 kg
REFERENCE	XDRSC1


	Configuration required to set up reference. No cost increase		Combination not available		
--	---	--	---------------------------	--	--

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to order the counterweights. The counterweights required are indicated above each reference.

Columns · Tables

Height 740 mm
Support of the work surface included



MEASUREMENT	1885 x 685 mm
HEIGHT	734 mm
NECESSARY COUNTERWEIGHTS	6 units (Total: 120 kg)
REFERENCE	DRIS011969C

STRUCTURE

Two central columns	M	775,60
---------------------	----------	--------

SUPPORT

Levelers	F	
----------	----------	--

STRUCTURE FINISH


White	00	
Mink	20	
Black	08	

INTEGRATED ELECTRICAL CONDUIT OPTIONAL (ONLY FOR DESK-TOP WITH WIRING ACCESS)

MFC Laminated DM	SC	+ 126,00
------------------	-----------	----------

Desk-top · Tables

Height 740 mm




MEASUREMENT	2400 x 1200 mm
REFERENCE	DRIT042412L

DESK-TOP FINISHES

MFC · White	M00	593,60
MFC · Gris Coco	M15	
MFC · Lime Oak	M11	
MFC · Light Oak	M10	
MFC · Chestnut	M07	
MFC · Dark Oak	M14	
MFC · Black Anti-fingerprint	M03	889,00
Compact Laminate · Traffic White	F20	1.338,40
Compact Laminate · Samas Black	F28	1.800,40
Compact Laminate · Marmo Olimpo	F21	2.788,80
Compact Laminate · Pulpis Light	F26	
Laminated DM · Light Oak	L10	2.115,40

COMPLEMENTS

Counterweights



DESCRIPTION	Counterweight of 20 kg
REFERENCE	XDRSC1

	Configuration required to set up reference. No cost increase		Combination not available		
--	---	--	---------------------------	--	--

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to order the counterweights. The counterweights required are indicated above each reference.

Column · Coffee tables

Height 350 mm
Support of the work surface included



MEASUREMENT	Ø 490 mm
HEIGHT	315 mm
NECESSARY COUNTERWEIGHTS	2 units (Total: 40 kg)
REFERENCE	DRIS010049A

STRUCTURE

Central column	I	344,40
----------------	----------	--------

SUPPORT



Levelers	F	
----------	----------	--

STRUCTURE FINISH

White	00	
Mink	20	
Black	08	

Desk-top · Coffee tables

Height 350 mm



MEASUREMENT	Ø 800 mm	Ø 1000 mm	Ø 1200 mm
REFERENCE	DRIT030080K	DRIT030100K	DRIT030120K

DESK-TOP FINISHES

Finish	Code	Ø 800 mm	Ø 1000 mm	Ø 1200 mm
MFC · White	M00	155,40	170,80	240,80
MFC · Gris Coco	M15			
MFC · Lime Oak	M11			
MFC · Light Oak	M10			
MFC · Chestnut	M07			
MFC · Dark Oak	M14			
MFC · Black Anti-fingerprint	M03	197,40	245,00	340,20
Compact Laminate · Traffic White	F20	306,60	406,00	586,60
Compact Laminate · Samas Black	F28	399,00	546,00	765,80
Compact Laminate · Marmo Olimpo	F21	596,40	841,40	1.181,60
Compact Laminate · Pulpis Light	F26			
Laminated DM · Light Oak	L10	498,40	676,20	907,20

COMPLEMENTS

Counterweights



DESCRIPTION	Counterweight of 20 kg
REFERENCE	XDRSC1


	Configuration required to set up reference. No cost increase		Combination not available		
--	---	--	---------------------------	--	--

IMPORTANT NOTE:

In order to guarantee stability and quality in accordance with Actiu standards, it is necessary to order the counterweights. The counterweights required are indicated above each reference.

Column · Tables

Height 1050 mm
Support of the work surface included



MEASUREMENT	Ø 370 mm
HEIGHT	1031 mm
NECESSARY COUNTERWEIGHTS	3 units (Total: 60 kg)
REFERENCE	DRIS010036D

STRUCTURE

Central column	I	417,20
----------------	----------	--------

SUPPORT

Levelers	F	
----------	----------	--

STRUCTURE FINISH

White	00	
Mink	20	
Black	08	

Desk-top · Tables

Height 1050 mm




MEASUREMENT	600 x 600 mm	Ø 600 mm	Ø 800 mm
REFERENCE	DRIT016060J	DRIT010060J	DRIT030080J

DESK-TOP FINISHES

Finish	Code	600x600 mm	Ø 600 mm	Ø 800 mm
MFC · White	M00			
MFC · Gris Coco	M15			
MFC · Lime Oak	M11	126,00	126,00	155,40
MFC · Light Oak	M10			
MFC · Chestnut	M07			
MFC · Dark Oak	M14			
MFC · Black Anti-fingerprint	M03	135,80	135,80	197,40
Compact Laminate · Traffic White	F20	208,60	208,60	306,60
Compact Laminate · Samas Black	F28	264,60	264,60	399,00
Compact Laminate · Marmo Olimpo	F21	383,60	383,60	596,40
Compact Laminate · Pulpis Light	F26			
Laminated DM · Light Oak	L10			498,40

COMPLEMENTS

Counterweights



DESCRIPTION	Counterweight of 20 kg
REFERENCE	XDRSC1

	Configuration required to set up reference. No cost increase		Combination not available		
--	---	--	---------------------------	--	--