

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.


PRISMA

By Sylvain Carlet &
Isern Serra




Program of tables


Individual operating tables · Width 80 cm




Auxiliary tables & Returns · Wide 60 cm




Double & Progression tables · Wide 160 cm



Quadruple & Progression tables · Wide 160 cm




Progression tables · Width 160 cm



Meeting tables · Width 100 cm




Tables with file support · Width 80 cm




Double tables with file support · Width 160 cm




Meeting tables · Width 120 cm




Meeting tables · Width 140 cm




Meeting tables · Width 160 cm



Meeting tables · Height 100 cm



Auxiliary files · Height 69 cm



Functionalities




Description of model with steel supports


- 1 Table top made of melamine with 5 cm edge.
- 2 Metallic legs of 5x5 cm with quick joint system. Internal metallic structure in steel tube 3x3 cm.
- 3 Leveling support made of PP with anti-slip soleplate.
- 4 Suspended electrification channel for double tables with height adjustment.
- 5 Tabletop divider upholstered with sound-absorbing properties anchored to the structure.
- 6 Leg covered with metal totem for cable ducting.
- 7 Push Latch “T” electrification output.

Surfaces and structure


Table tops made of 19 mm chipboard with steel bottom structure. Tabletop thickness of 5 cm made of 1.9 cm perimeter molding with 2 mm thick rounded edge, highly durable and recyclable. 5x5 cm section leg structure made of 1.5 mm thick hot-rolled and pickled steel profile, finished with epoxy paint in white and wood-like finishes. Table top structure of section 3x3 cm made of hot-rolled steel profile and pickled 2 mm thick, in black and white finish.



Recessed legs



Straight 160 cm and 120 cm wide tables with progression and central legs recessed from the table edge for operational configurations of 4 or more workstations or meeting tables, facilitating mobility. **Recessed leg 410 mm on 160 cm tables and 310 mm on 120 cm tables.**



Finishes



Available finish combinations



Configurations

Table with support in credenza unit



- Filing cabinet made of melamine available in various finishes.
- Sliding doors made of melamine.
- Integrated guides made of extruded PVC profile. **Smooth glide.**
- Two sizes available:** 1600 and 240 cm length, 45 cm width and 69 cm height.
- Inner grille with anchoring system that allows height change.
- Interior prepared for internal cable management.
- Metal legs with injected PP leveler and anti-slip soleplate.

Structural dividers

Prisma has its own system of movable dividers or those that are anchored directly to the table surface, giving it great stability and an aesthetic appearance in harmony. Fully upholstered, with aluminum profiles or guides for fixing 3rd level elements, upholstered, sound-absorbing, glass, methacrylates, the new dividers offer a large number of possibilities.



How to code a reference

				
	T Wiring Access	Q Wiring Access	R Wiring Access	P Wiring Access
	Maximum opening: 90°	Maximum opening: 110°	Maximum opening: 180°	Maximum opening: 180°
	• ABS injected lid • Frame injected in ABS • Injection-moulded polyamide clamping clips PA • Black bristle brush with zinc-plated plate profile • Polyamide guides for adjustment according to the thic-kness of the surface between 13 and 30 mm • Dimensions: 25 x 11,7 cm	• Black die-cast aluminium frame • Die-cast aluminium lid • Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm • Dimensions: 30,5 x 12,1 cm	• Melamine lid of the same finish as the surface • Black Bristle Brush • Black die-cast aluminium frame • Aluminium guides for adjustment according to the thickness of the surface between 13 and 30 mm • Complete opening in 180° by means of hinges. • Dimensions: 30,5 x 12,1 cm	• The wiring access P only includes the cut-out in the table top. • If you order the desking with the optional PC wiring access, please refer to the accessories section to order the integrated power and data connection in the desk top. • Compact solution for integrated power and data connection with easy workstation access. • Different configuration combinations for a wide range of applications. • Perimeter frame in black aluminium. • Optional integrated aluminium cover to protect connections against dust and dirt. Available in black and white. • Total dimensions: 241 x 73 mm • Total dimensions cover: 257 x 87 mm • Junction box top surface dimensions: 225 x 60 mm

-Models with this standard cable access has the icon next to the code
-Desk price with the cable access is as per the attached table.
-To order different desks which the electrification access is not standard, please check sales team.
-To order desks with cable access, please add the corresponding letter according to the desired placement, at the end of the reference:

WIRING ACCESS				
	FRONT CENTERED ACCESS	LEFT HAND SIDE	RIGHT HAND SIDE	CENTERED ACCESS
	TF QF RF	TL QL RL	TR QR RR	PC QC RC


IMPORTANT NOTE:
The combination of wired access is carried out in the following way:
(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)

MELAMINE SURFACE FINISHES AND STRUCTURE		COMBINATIONS OF FINISHES OFFERED			
Surface	Sides	T WIRING ACCES	Q WIRING ACCES	R WIRING ACCES	P WIRING ACCES
WHITE	WHITE	WHITE	WHITE	WHITE	WHITE
		WHITE	WHITE	LIME OAK	WHITE
	LIME OAK	WHITE	WHITE	LIME OAK	BLACK
		WHITE	WHITE	LIME OAK	WHITE
LIGHT OAK	LIGHT OAK	WHITE	WHITE	LIGHT OAK	WHITE
		WHITE	WHITE	LIGHT OAK	BLACK
CHESTNUT	CHESTNUT	WHITE	WHITE	CHESTNUT	WHITE
		WHITE	WHITE	CHESTNUT	BLACK
DARK OAK	DARK OAK	BLACK	BLACK	DARK OAK	BLACK


Superior cable access location to cabling and connections

Rectangular desks - 80 cm wide


Front access



Right lateral access




Left lateral access




Twin and progressive desks - 160 cm wide


Front access



Front access




Front access




Executive and meeting desks - 100 cm wide


Front access




Right lateral access



Left lateral access




Centered access




Meeting desks - 120 / 140 / 160 cm wide


Centered access



Centered access




Centered access




Meeting desks - 100 cm height

Centered access




Centered access




Program of tables


Individual operating tables · Width 80 cm




Auxiliary tables & Returns · Wide 60 cm




Double & Progression tables · Wide 160 cm




Quadruple & Progression tables · Wide 160 cm




Progression tables · Width 160 cm




Meeting tables · Width 100 cm




Tables with file support · Width 80 cm




Double tables with file support · Width 160 cm




Meeting tables · Width 120 cm




Meeting tables · Width 140 cm



Meeting tables · Width 160 cm



Meeting tables · Height 100 cm



How to code a reference



- 1

At the beginning of the coding and price tables of our price list, you will find the available models and their prices, as well as the basic reference of the product.
- 2

The system is designed to code vertically, adding desired components to the product by selecting the reference digits. Creating a correlation that will form the final order reference.
- 3

The finishes of arms, bases, optional complements, supports and upholstery will be shown in different colors so that the location of their reference and price is intuitive.
- 4

At the end of each table we will have legends or informative notes about the product being offered. Please read carefully to avoid confusion or mistakes when ordering.
- 5

This catalog has an interactive menu that will facilitate the user's navigation. It is located at the bottom of each page and from it you can go to the index, go back or even navigate within the family and the product displayed.

Example of reference configuration for an order

Prisma · Operative tables		PM1
Individual straight tables		A01
Measures: 120 x 80 cm		1280
Fixed height: 710 - 80 cm		C
STRUCTURE		↓
Straight legs		B
SUPPORT		↓
Levelers		F
FINISHES		↓
Surface, edge and structure in lime oak		M1111
WIRED ACCESS		↓
Front wiring access · T type		TF


FINAL CONFIGURATION REFERENCE

PM1 A01 1280 C B F M11 11 TF



* The final cost of the module will be obtained starting from the established base price and adding to it the cost of the different complements that are added to it.

	Configuration required to set up reference. No cost increase		Combination not available		Removed after stocks are exhausted
--	---	--	---------------------------	--	------------------------------------




Individual operating tables Width 80 cm					
					
MEASURES		120 x 80 cm	140 x 80 cm	160 x 80 cm	180 x 80 cm
LEVELERS		Height 74 cm	Height 74 cm	Height 74 cm	Height 74 cm
REFERENCE		PM1A011280C	PM1A011480C	PM1A011680C	PM1A011880C

STRUCTURE					
Straight legs	B	540,40	555,80	576,80	611,80

SUPPORT					
Levelers	F				

FINISHES							
Surface	Edge	Structure	Ref.	↓	↓	↓	↓
White			M0000				
White	Lime Oak		M8111	+ 70,00	+ 70,00	+ 70,00	+ 70,00
	Lime Oak		M1111				
	Light Oak		M1010				
	Chestnut		M0707				
Anti Fingerprint black			M0308	+ 142,80	+ 189,00	+ 189,00	+ 189,00




OPTIONAL WIRED ACCESS					
MFC	TF	+ 39,20	+ 39,20	+ 39,20	+ 39,20
	TL				
	TR				
	QF	+ 78,40	+ 78,40	+ 78,40	+ 78,40
	QL				
	QR				
	RF	+ 100,80	+ 100,80	+ 100,80	+ 100,80
	RL				
	RR				
ANTI FINGERPRINT BLACK MDF	TF	+ 39,20	+ 39,20	+ 39,20	+ 39,20
	TL				
	TR				
	QF	+ 78,40	+ 78,40	+ 78,40	+ 78,40
	QL				
	QR				
	RF	+ 100,80	+ 100,80	+ 100,80	+ 100,80
	RL				
	RR				

Auxiliary tables and Returns Width 60 cm				
MEASURES		120 x 60 cm	96 x 60 cm	Auxiliary wing: 2 drawers + drawer tray.
LEVELERS		Height 74 cm	Height 74 cm	Height 74 cm
REFERENCE		PM1B011260C	PM1D019660C	PM1D029680C

STRUCTURE				
Straight legs	B	502,60	393,40	497,00

SUPPORT				
Levelers	F			

FINISHES						
Surface	Edge	Structure	Ref.	↓	↓	↓
White			M0000			
White	Lime Oak		M8111	+ 70,00	+ 36,40	+ 0,00
	Lime Oak		M1111			
	Light Oak		M1010			
	Chestnut		M0707			
Anti Fingerprint black			M0308	+ 95,20	+ 72,80	+ 72,80

Double and progression tables Width 160 cm				
MEASURES		120 x 160 cm	140 x 160 cm	160 x 160 cm
LEVELERS		Height 74 cm	Height 74 cm	Height 74 cm
REFERENCE		PM1A041216C	PM1A041416C	PM1A041616C




STRUCTURE				
Straight legs	B	880,60	919,80	933,80

SUPPORT				
Levelers	F			

FINISHES						
Surface	Edge	Structure	Ref.	↓	↓	↓
White			M0000			
White	Lime Oak		M8111	+ 70,00	+ 70,00	+ 70,00
	Lime Oak		M1111			
	Light Oak		M1010			
	Chestnut		M0707			
Anti Fingerprint black			M0308	+ 284,20	+ 652,40	+ 663,60

OPTIONAL WIRED ACCESS				
MFC	TF	+ 78,40	+ 78,40	+ 78,40
	QF	+ 156,80	+ 156,80	+ 156,80
	RF	+ 201,60	+ 201,60	+ 201,60
ANTI FINGERPRINT BLACK MDF	TF	+ 78,40	+ 78,40	+ 78,40
	QF	+ 156,80	+ 156,80	+ 156,80
	RF	+ 201,60	+ 201,60	+ 201,60

Quadruple and progression tables
Width 160 cm





MEASURES	240 x 160 cm	280 x 160 cm	320 x 160 cm
LEVELERS	Height 74 cm	Height 74 cm	Height 74 cm
REFERENCE	PM1A052416C	PM1A052816C	PM1A053216C



STRUCTURE				
Straight legs	B	1.664,60	1.730,40	1.762,60

SUPPORT				
Levelers	F			

FINISHES						
Surface	Edge	Structure	Ref.	↓	↓	↓
White			M0000			
White	Lime Oak		M8111	+ 105,00	+ 105,00	+ 105,00
	Lime Oak		M1111			
	Light Oak		M1010			
	Chestnut		M0707			
Anti Fingerprint black			M0308	+ 565,60	+ 1.323,00	+ 1.325,80

OPTIONAL WIRED ACCESS				
MFC	TF	+ 156,80	+ 156,80	+ 156,80
	QF	+ 313,60	+ 313,60	+ 313,60
	RF	+ 403,20	+ 403,20	+ 403,20
ANTI FINGERPRINT BLACK MDF	TF	+ 156,80	+ 156,80	+ 156,80
	QF	+ 313,60	+ 313,60	+ 313,60
	RF	+ 403,20	+ 403,20	+ 403,20

Progression tables Width 160 cm						
MEASURES				120 x 160 cm	140 x 160 cm	160 x 160 cm
LEVELERS				Height 74 cm	Height 74 cm	Height 74 cm
REFERENCE				PM1A061216C	PM1A061416C	PM1A061616C
STRUCTURE						
Straight legs		B		753,20	770,00	784,00
SUPPORT						
Levelers		F				
FINISHES						
Surface	Edge	Structure	Ref.	↓	↓	↓
White			M0000			
White	Lime Oak		M8111	+ 35,00	+ 35,00	+ 35,00
Lime Oak			M1111			
Light Oak			M1010			
Chestnut			M0707			
Anti Fingerprint black			M0308	+ 284,20	+ 662,20	+ 663,60
OPTIONAL WIRED ACCESS						
MFC			TF	+ 78,40	+ 78,40	+ 78,40
			QF	+ 156,80	+ 156,80	+ 156,80
			RF	+ 201,60	+ 201,60	+ 201,60
ANTI FINGERPRINT BLACK MDF			TF	+ 78,40	+ 78,40	+ 78,40
			QF	+ 156,80	+ 156,80	+ 156,80
			RF	+ 201,60	+ 201,60	+ 201,60

Meeting tables Width 100 cm			
			
			
MEASURES	180 x 100 cm		
LEVELERS	Height 74 cm		
REFERENCE	PM1F011810C		

STRUCTURE				
Straight legs	B	701,40	719,60	817,60

SUPPORT				
Levelers	F			

FINISHES						
Surface	Edge	Structure	Ref.	↓	↓	↓
White			M0000			
White	Lime Oak		M8111	+ 70,00	+ 70,00	+ 70,00
Lime Oak			M1111			
Light Oak			M1010			
Chestnut			M0707			
Anti Fingerprint black			M0308	+ 263,20	+ 278,60	+ 285,60



OPTIONAL WIRED ACCESS				
MFC	PC		+ 30,80	
	TF	+ 39,20	+ 39,20	+ 39,20
	TL			
	TR			
	QF	+ 78,40	+ 78,40	+ 78,40
	QC			
	QL			
	QR			
	RF	+ 100,80	+ 100,80	+ 100,80
	RC			
	RL			
	RR			
ANTI FINGERPRINT BLACK MDF	PC		+ 30,80	
	TF	+ 39,20	+ 39,20	+ 39,20
	TL			
	TR			
	QF	+ 78,40	+ 78,40	+ 78,40
	QC			
	QL			
	QR			
	RF	+ 100,80	+ 100,80	+ 100,80
	RC			
	RL			
	RR			



IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS



Tables with file support Width 80 cm					
	MEASURES		210 x 80 cm - Cabinet on the right		
	LEVELERS		Height 74 cm		
	REFERENCE		PM1E092180C		
				PM1E102180C	

STRUCTURE			
Straight legs	B	1.211,00	1.211,00

SUPPORT			
Levelers	F		

FINISHES					
Table		Credenza unit		Table	Ref.
Surface	Edge	Body	Structure	Estructura	
White					M00M0000
White	Lime Oak	White	Lime Oak		M81M0011
Lime Oak					M11M1111
Light Oak		White	Light Oak		M10M0010
Light Oak					M10M1010
Chestnut		White	Chestnut		M07M0007
Chestnut					M07M0707
Anti Fingerprint black					M03M0308
					+ 35,00
					+ 35,00
					+ 436,80
					+ 436,80

ACCESO CABLEADO OBLIGATORIO			
MFC	TR	+ 39,20	
	TL		+ 39,20
	QR	+ 78,40	
	QL		+ 78,40
	RR	+ 100,80	
	RL		+ 100,80
ANTI FINGERPRINT BLACK MDF	TR	+ 39,20	
	TL		+ 39,20
	QR	+ 78,40	
	QL		+ 78,40
	RR	+ 100,80	
	RL		+ 100,80


Double tables with file support Width 160 cm					
	MEASURES		160 x 160 cm - Cabinet on the right		
	LEVELERS		Height 74 cm		
	REFERENCE		PM1E091616C		
				PM1E101616C	

STRUCTURE			
Straight legs	B	1.814,40	1.814,40

SUPPORT			
Levelers	F		

FINISHES					
Table		Credenza unit		Table	Ref.
Surface	Edge	Body	Structure	Estructura	
White					M00M0000
White	Lime Oak	White	Lime Oak		M81M0011
Lime Oak					M11M1111
Light Oak		White	Light Oak		M10M0010
Light Oak					M10M1010
Chestnut		White	Chestnut		M07M0007
Chestnut					M07M0707
Anti Fingerprint black					M03M0308
					+ 35,00
					+ 35,00
					+ 901,60
					+ 901,60

ACCESO CABLEADO OBLIGATORIO			
MFC	TR	+ 78,40	
	TL		+ 78,40
	QR	+ 156,80	
	QL		+ 156,80
	RR	+ 201,60	
	RL		+ 201,60
ANTI FINGERPRINT BLACK MDF	TR	+ 78,40	
	TL		+ 78,40
	QR	+ 156,80	
	QL		+ 156,80
	RR	+ 201,60	
	RL		+ 201,60

Meeting desk Width 120 cm				
	160 x 120 cm		220 x 120 cm	
MEASURES	160 x 120 cm		220 x 120 cm	
LEVELERS	Height 74 cm		Height 74 cm	
REFERENCE	PM1G011612C		PM1G012212C	

STRUCTURE			
Straight legs	B	707,00	939,40

SUPPORT			
Levelers	F		

FINISHES					
Surface	Edge	Structure	Ref.	↓	↓
White			M0000		
White	Lime Oak		M8111	+ 70,00	+ 70,00
Lime Oak			M1111		
Light Oak			M1010		
Chestnut			M0707		
Anti Fingerprint black			M0308	+ 284,20	+ 628,60




OPTIONAL WIRED ACCESS			
MFC	PC	+ 30,80	+ 30,80
	QC	+ 78,40	+ 78,40
	RC	+ 100,80	+ 100,80
ANTI FINGERPRINT BLACK MDF	PC	+ 30,80	+ 30,80
	QC	+ 78,40	+ 78,40
	RC	+ 100,80	+ 100,80



IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS

Meeting desk and middle Extension			
	Width 120 cm		
			
MEASURES	240 x 120 cm	320 x 120 cm	120 x 160 cm - Progresión
LEVELERS	Height 74 cm	Height 74 cm	Height 74 cm
REFERENCE	PM1G012412C	PM1G013212C	PM1G021612C

STRUCTURE				
Straight legs	B	1.197,00	1.246,00	638,40

SUPPORT				
Levelers	F			

FINISHES						
Surface	Edge	Structure	Ref.	↓	↓	↓
White			M0000			
White	Lime Oak		M8111	+ 105,00	+ 105,00	+ 35,00
Lime Oak			M1111			
Light Oak			M1010			
Chestnut			M0707			
Anti Fingerprint black			M0308	+ 481,60	+ 565,60	+ 284,20

OPTIONAL WIRED ACCESS				
MFC	PC	+ 61,60	+ 61,60	+ 30,80
	QC	+ 156,80	+ 156,80	+ 78,40
	RC	+ 201,60	+ 201,60	+ 100,80
ANTI FINGERPRINT BLACK MDF	PC	+ 61,60	+ 61,60	+ 30,80
	QC	+ 156,80	+ 156,80	+ 78,40
	RC	+ 201,60	+ 201,60	+ 100,80






IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as May 2025.

Prisma · Operative tables

Meeting desk Width 140 cm				
	MEASURES	140 x 140 cm	280 x 140 cm	140 x 140 cm - Progresión
	LEVELERS	Height 74 cm	Height 74 cm	Height 74 cm
	REFERENCE	PM1G011414C	PM1G012814C	PM1G021414C

STRUCTURE				
Straight legs	B	712,60	1.419,60	644,00

SUPPORT				
Levelers	F			

FINISHES						
Surface	Edge	Structure	Ref.	↓	↓	↓
White			M0000			
White	Lime Oak		M8111	+ 70,00	+ 105,00	+ 35,00
	Lime Oak		M1111			
	Light Oak		M1010			
	Chestnut		M0707			
Anti Fingerprint black			M0308	+ 571,20	+ 1.142,40	+ 571,20




OPTIONAL WIRED ACCESS				
MFC	PC	+ 30,80	+ 61,60	+ 30,80
	QC	+ 78,40	+ 156,80	+ 78,40
	RC	+ 100,80	+ 201,60	+ 100,80
ANTI FINGERPRINT BLACK MDF	PC	+ 30,80	+ 61,60	+ 30,80
	QC	+ 78,40	+ 156,80	+ 78,40
	RC	+ 100,80	+ 201,60	+ 100,80



IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS

Meeting desk Width 160 cm				
	MEASURES	160 x 160 cm	320 x 160 cm	160 x 160 cm - Progresión
	LEVELERS	Height 74 cm	Height 74 cm	Height 74 cm
	REFERENCE	PM1G011616C	PM1G013216C	PM1G021616C

STRUCTURE				
Straight legs	B	949,20	1.792,00	798,00

SUPPORT				
Levelers	F			

FINISHES						
Surface	Edge	Structure	Ref.	↓	↓	↓
White			M0000			
White	Lime Oak		M8111	+ 70,00	+ 105,00	+ 35,00
Lime Oak			M1111			
Light Oak			M1010			
Chestnut			M0707			
Anti Fingerprint black			M0308	+ 663,60	+ 1.325,80	+ 663,60



OPTIONAL WIRED ACCESS				
MFC	PC	+ 30,80	+ 61,60	+ 30,80
	QC	+ 78,40	+ 156,80	+ 78,40
	RC	+ 100,80	+ 201,60	+ 100,80
ANTI FINGERPRINT BLACK MDF	PC	+ 30,80	+ 61,60	+ 30,80
	QC	+ 78,40	+ 156,80	+ 78,40
	RC	+ 100,80	+ 201,60	+ 100,80



IMPORTANT NOTE:

When ordering the table with the optional **PC wiring access**, please refer to the accessories section to order the power and data connection integrated in the table top. The optional **PC wiring access** only includes the cut-out in the table top.

CLICK TO COMPLEMENTS



Meeting tables Height 100 cm				
				
				
				
MEASURES	160 x 80 cm			
LEVELERS	Height 100 cm			
REFERENCE	PM1H011680C			

STRUCTURE					
Straight legs	B	649,60	781,20	718,20	1.017,80

SUPPORT					
Levelers	F				

FINISHES							
Surface	Edge	Structure	Ref.	↓	↓	↓	↓
White			M0000				
White	Lime Oak		M8111	+ 119,00	+ 119,00	+ 119,00	+ 119,00
	Lime Oak		M1111				
	Light Oak		M1010				
	Chestnut		M0707				
Anti Fingerprint black			M0308	+ 189,00	+ 278,60	+ 242,20	+ 663,60

OPTIONAL WIRED ACCESS					
MFC	QC	+ 78,40	+ 78,40	+ 78,40	+ 78,40
	RC	+ 100,80	+ 100,80	+ 100,80	+ 100,80
ANTI FINGERPRINT BLACK MDF	QC	+ 78,40	+ 78,40	+ 78,40	+ 78,40
	RC	+ 100,80	+ 100,80	+ 100,80	+ 100,80

Auxiliary files Height 69 cm		
MEASURES	160 x 45 cm	240 x 45 cm
LEVELERS	Height 69 cm	Height 69 cm
REFERENCE	PMM121645	PMM122445

FINISHES				
Body	Doors	Ref.	↓	↓
White		M00M00	700,00	928,20
Lime Oak	White	M11M00		
Lime Oak		M11M11		
Light Oak	White	M10M00		
Light Oak		M10M10		
Chestnut	White	M07M00		
Chestnut		M07M07		
Anti Fingerprint black		M03M03	858,20	1.167,60

Available complements								
Modesty panel Only for individual desks		1150 mm 280 mm	1250 mm 280 mm	1450 mm 280 mm	1650 mm 280 mm			
MEASURES		1150 x 280 mm	1250 x 280 mm	1450 x 280 mm	1650 x 280 mm			
COMPATIBILITY		1400 mm desks	1600 and 2100 mm desks	1800 mm desks	2000 and 2200 mm desks			
REFERENCE		XPMFA11128	XPMFA11228	XPMFA11428	XPMFA11628			
BRACKETS FINISH								
White	00	67,20	68,60	77,00	81,20			
Black	08							
SURFACE FINISH								
White	M00							
Lime Oak	M11							
Light Oak	M10							
Chestnut	M07							
Black	M08							
Pad manager Desk Protector		460,3 mm 720 mm 4 mm						
MEASURES		720 x 463 x 4 mm						
REFERENCE		PAD5						
INTEGRAL POLYURETHANE								
Black	9	77,00						
Red	7							
CPU support Suspended and adjustable		270 mm 500 mm 140 - 220 mm						
MEASURES		500 x 270 x 140/220 mm						
COMPATIBILITY		ATX CPUs from 140 to 220 mm wide						
REFERENCE		50506						
SHEET METAL FINISH								
White	0	133,00						
Black	8							

Cable risers Flexible polystyrene		
MEASURES	800 x 40,5 mm / Ø 40,5 mm	800 x 40,5 mm / Ø 70 mm
COMPATBILTY	For use with P, Q and R access containers.	
MINIMUM UNITS ORDER	3 units · Price for 1 unit	3 units · Price for 1 unit
REFERENCE	39425	39525

FLEXIBLE POLYSTYRENE FINISH			
White	0	23,80	28,00
Black	8		

Cable risers Sheet metal		
MEASURES	520 x 80 x 50 mm	625 x 150 x 100 mm
COMPATIBILITY	For use on single, quadruple and double progression desks.	
REFERENCE	5070	5071

FINISHING SHEET METAL			
White	0	117,60	140,00
Black	8		

Cable risers Steel Sheet Totem	
MEASURES	550,5 x 790 x 50,2 mm
COMPATIBILITY	For wiring up to 1600 mm wide quadruple desks with recessed leg. Pack 1 unit.
REFERENCE	5073



FINISHING STEEL PLATE			
White	0	218,40	
Black	8		

Cable risers Braided textile wrap		
PACKS	Pack 1 unit	Pack 4 units
MEASURES	750 mm / Ø 30 mm	
CHARACTERISTICS	Zippered for quick and easy installation. Offers additional protection against flame and abrasion.	
REFERENCE	39431	39434

FINISHING FABRIC			
Black	8	39,20	137,20


Cable risers / Meeting tables height 1000 mm Flexible polystyrene	
MEASURES	1320 x 70 mm x 45 mm
COMPATBILTY	For use with meeting tables height 1000 mm
MINIMUM UNITS ORDER	3 units · Price for 1 unit
REFERENCE	39526



FLEXIBLE POLYSTYRENE FINISH			
White	0	35,00	
Black	8		

Accessories electrification systems Individual desks				
	MEASURES		400 x 120 x 130 mm	
	COMPATIBILITY		Container for electrification accessories with P, Q and R wiring access.	
	PACKS		Pack 1 unit	Pack 2 units
	REFERENCE		CQR11	CQR12

FINISHES					
White	0	71,40	138,60	56,00	106,40
Black	8				


Compatibility of cable container for individual and meeting desks



Simple Cable tray Individual desks				
	MEASURES		830 x 80 x 140 mm	
	COMPATIBILITY		1200 mm desks	
	PACKS		Pack 1 unit	Pack 1 unit
	REFERENCE		4018	4010


STRUCTURE					
White	0	65,80	68,60	71,40	77,00
Black	8				

Compatibility of channels for individual and meeting desks




Power and data connection compatibility for meeting desks


Locate the requested table model to order the necessary power connection units for all meeting desks.




PM1F012010C
x1




PM1G011612C
x1




PM1G012212C
x1




PM1G012412C
x2




PM1G013212C
x2




PM1G021612C
x1




PM1G011414C
x1




PM1G012814C
x2




PM1G021414C
x1



PM1G011616C
x1



PM1G013216C
x2




PM1G021616C
x1

Example of power connection

Please refer to the following examples to order all the components required for the desired configuration. The **GX21** mains power cable must always be ordered. The power distributor **GX22** is included in the power connection with USB charging. In case of ordering a table with progressive desk and **power connection with HDMI**, the **GX22 connection spread kit** must be ordered for the progressive desk.


EXAMPLE 01



PM1G012212C

COMPONENTS	DESCRIPTION	UNITS
PM1G012212CBFM0000PC	Meeting table 220 x 120 cm with PC cable access	x1
XELBCP122081EU99	Power connection with 2 sockets + 2 USB charging sockets and without cover	x1
· GX21	2 metres extension cable, end power entry. EU · 220v	x1
· GX22	Connection spread kit	INCLUDED


EXAMPLE 02



PM1G013212C

COMPONENTS	DESCRIPTION	UNITS
PM1G013212CBFM0000PC	Meeting table 320 x 160 cm with PC cable access	x1
XELBCP222081EU99	Power connection with 2 sockets + 1 HDMI and without cover	x2
· GX21	2 metres extension cable, end power entry. EU · 220v	x1
· GX22	Connection spread kit	x1
· GX20	Extension cable (1'5 m.)	x1

EXAMPLE 03






PM1G013216C

PM1G021616C

PM1G013216C


COMPONENTS	DESCRIPTION	UNITS
PM1G013216CBFM0000PC	Meeting table 320 x 160 cm with PC cable access	x1
PM1G021616CBFM0000PC	Extension table 160 x 160 cm with PC cable access	x1
XELBCP122081EU99	Power connection with 2 sockets + 2 USB charging sockets and without cover	x3
· GX21	2 metres extension cable, end power entry. EU · 220v	x1
· GX22	Connection spread kit	INCLUDED
· GX20	Extension cable (1'5 m.)	x2

Power and data connection Meeting desks							
	2 plugs + 2 USB charging sockets type A and C GX22 INCLUDED (Connection spread kit)		2 plugs + 1 HDMI		1 plug + 1 HDMI + 2 USB charging sockets type A and C GX22 INCLUDED (Connection spread kit)		
	COMPONENTS						
	COMPATIBILITY		Integrated power and data connection for meeting desks with PC wiring access				
	PACKS		Pack 1 unit		Pack 1 unit		Pack 1 unit
REFERENCE		XELBCP122		XELBCP222		XELBCP322	

FRAME FINISH / INITIAL PRICE				
Black	08	327,60	250,60	396,20

CONNECTIVITY				
EU · 220V	1EU			
US · 120V	1US	+ 18,20	+ 18,20	+ 18,20
UK · 220V	1UK	+ 35,00	+ 35,00	+ 35,00

OPTIONAL TOP COVER				
Without cover	99			
White	00	+ 252,00	+ 252,00	+ 252,00
Black	08	+ 252,00	+ 252,00	+ 252,00


Electrical accessories Meeting desks									
	COMPONENTS	Extension cable (1'5 m.)	End power entry 2 mts. EU · 220V	End power entry 2 mts. UK · 220V	End power entry 2 mts. US · 120V	Connection spread kit.			
	DESCRIPTION	Ø 10 mm. (3 x 2'5). Rubber hose Male and female connector to connect additional power module.	Ø 8 mm. (3 x 2). Rubber hose Plug and ground Ø 4'8 / 16A Female terminal plugged (with protection).			1 input / 3 outputs			
	MINIMUM UNITS ORDER	4 units · Price for 1 unit	4 units · Price for 1 unit	4 units · Price for 1 unit	4 units · Price for 1 unit	5 units · Price for 1 unit			
	REFERENCE	GX20	GX21	GX21L	GX21D	GX22			
	PRICE	40,60	43,40	43,40	43,40	28,00			

Explanation of use of the cable tray - desks de reunión

Use of cable tray on Meeting desks of 120 cm:

To use electrification cable tray on desks of 120 cm width, request the desired/corresponding model, which is listed on the pricelist:

- 42cm width Cable tray: Usage on all Meeting desks - Length 50 cm.
- 29cm width Recessed Cable tray: Use on PM1G011612C meeting desk - Length 84 cm.
- 29cm width Recessed Cable tray: Use on PM1G012212C and PM1G013212C meeting desk - Length 104 cm.
- 29cm width Recessed Cable tray: Use on PM1G021612C meeting desk - Length 144 cm.



Use of cable tray on Meeting desks of 140 cm:

To use electrification cable tray on desks of 140 cm width, request the desired/corresponding model, which is listed on the pricelist:


- 42cm width Cable tray: Usage on all Meeting desks - Length 50 cm.
- 42cm width Recessed Cable tray: Use on PM1G012814C meeting desk - Length 104 cm.
- 42cm width Recessed Cable tray: Use on PM1G021414C meeting desk - Length 124 cm.



Use of cable tray on Meeting desks of 160 cm:

To use electrification cable tray on desks of 160 cm width, request the desired/corresponding model, which is listed on the pricelist:


- 42cm width Cable tray: Usage on all Meeting desks - Length 50 cm.
- 42cm width Recessed Cable tray: Use on PM1G013216C meeting desk - Length 104 cm.
- 42cm width Recessed Cable tray: Use on PM1G021616C meeting desk - Length 144 cm.




EXPLANATION OF USE OF THE CABLE TRAY - DOUBLE OPERATIVE DESKS AND EXTENDABLE DOUBLE DESKS

- Use of cable tray on **double operative desks and extendable double desks**:
To use electrification cable tray on double and middle extension desks, ask for the corresponding/desired model, which is listed on the pricelist.
- 42cm width Cable tray - Length 50 cm: Usage on all Operative double desks - Length 50 cm.
 - 42cm width Recessed Cable tray: Usage on all Operative double desks - Length 84 / 104 / 124 / 144 cm.


Fixed-height Cable tray compatibility for doubles, quads and progression desks




Fixed-height recessed Cable tray compatibility for doubles, quads and progression desks






Height-adjustable recessed Cable tray compatibility for doubles, quads and progression desks







Fixed Widthr Cable tray Double, quadruple and progression desks	
MEASURES	500 x 420 x 38 mm
COMPATIBILITY	For use on all models of meeting tables and double, quadruple and progression desks.
REFERENCE	5829






STRUCTURE		
White	0	74,20
Black	8	

Cable tray fixed Width Meeting desks			
MEASURES	840 x 290 x 38 mm	1000,4 x 290 x 38 mm	1440 x 290 x 38 mm
COMPATIBILITY	With desks PMIG011612C	With desks PMIG013212C and PMIG012212C	With desks PMIG021612C
REFERENCE	XPMTC1B58429A	5880	5884


STRUCTURE				
White	0	96,60	105,00	126,00
Black	8			

Fixed height Cable tray Double, quadruple and progression desks				
MEASURES	840 x 420 x 38 mm	1040 x 420 x 38 mm	1240 x 420 x 38 mm	1440 x 420 x 38 mm
COMPATIBILITY	Individual desks of 1200 mm. - Quadruple or end desks of progression of 1200 mm.	Central desks of the 1200mm progressions. - Desks for individual use of 1400 and 1600 mm. - 1400 and 1600 mm. quadruple desks or progression end desks.	Central desks of the 1400mm progressions.	Central desks of the 1600mm progressions.
REFERENCE	6888	6880	6882	6884

STRUCTURE					
White	0	109,20	110,60	117,60	127,40
Black	8				

Height-adjustable Cable tray Double, quadruple and progression desks				
MEASURES	840 x 420 x 38 mm	1040 x 420 x 38 mm	1240 x 420 x 38 mm	1440 x 420 x 38 mm
POSITIONS				
COMPATIBILITY	Individual desks of 1200 mm. - Quadruple or end desks of progression of 1200 mm.	Central desks of the 1200mm progressions. - Desks for individual use of 1400 and 1600 mm. - 1400 and 1600 mm. quadruple desks or progression end desks.	Central desks of the 1400mm progressions.	Central desks of the 1600mm progressions.
REFERENCE	6898	6890	6892	6894


STRUCTURE					
White	0	145,60	154,00	168,00	170,80
Black	8				



■ Desks mounted screens


Desk-Mounted screens, different sizes available, fixing kits and finishes. Easy to be adapted to any surface. They provide visual contact but at the same time privacy. Twin desks with electrification system have their own desk-mounted screens (**D50 Serie for Vital or Arkitek**)

■ DESK MOUNTED SCREENS OFFER




GLASS SCREEN - e=8mm

Laminatd Security Glass (4+4 mm) / Tempered glass (8 mm)




METHACRYLATE SCREEN - e=8mm

8 mm thick White Methacrylathe



UPHOLSTERED SCREEN WITH FLEXIBLE PROFILE - e=30mm

- ① 19 mm thick Chipboard
- ② Foam thickness e= 5 mm and 60 Kg/m³ density (etotal= 30 mm)
- ③ Different fabrics available glued using water glue.
- Optional accoustic or fire resistant fabrics for projects.
- ④ 8mm thick flexible Profile





UPHOLSTERED SCREEN. SEWAN AND SEATHED - e=30mm

- ① 19 mm thick Chipboard
- ② Foam thickness e= 5 mm and 60 Kg/m³ density (etotal= 30 mm)
- ③ Different fabrics available glued using water glue.
- Optional accoustic or fire resistant fabrics for projects.
- ④ Sewn and sheathed.

EXAMPLE OF AN ORDER

Model	Bracket finish	Divider Finish	Final Reference
DLN432 Screen mobile Pack 2 units	N Black bracket	T82 Group T Upholstered	DLN432NT82

TABLE TOP DIVIDERS FOR: USE ON DOUBLE DESKS ET INDIVIDUAL DESKS AND CROSS USE ON DOUBLE PROGRESSIVE DESKS

				
	Support on discs with anti slip pad.	Upholstered divider e=30 mm	Upholstered divider e=30 mm	

Model Dimensions (A x B)	ZW43 110 38	ZW44 130 38	ZW45 150 38
	TABLE TOP DIVIDER FOR 120, 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Coding required to
configure reference.
They do not mean an
increase in cost

Units / Pack			Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference			ZW431	ZW432	ZW441	ZW442	ZW451	ZW452
Bracket finish	WHITE	0						
	BLACK	8						

FLEXIBLE PROFILE UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e=30 Flexible profile	GROUP 0		Group T	3T--	189,00	358,40	194,60	373,80	207,20	403,20
			Group AE	3AE--	215,60	414,40	228,20	441,00	270,20	527,80
	GROUP 1		Group AO	3AO--						
	GROUP 2		Group D	3D--	226,80	443,80	242,20	469,00	299,60	581,00
			Group M	3M--						

Model Dimensions (A x B)	DLN43 110 38	DLN44 130 38	DLN45 150 38
	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Units / Pack			Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference			DLN431	DLN432	DLN441	DLN442	DLN451	DLN452
Bracket finish	WHITE	B						
	BLACK	N						






SEWN AND SHEATHED UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e=30 Sewn and sheathed	GROUP 0		Group T	T--	222,60	431,20	228,20	446,60	245,00	476,00
			Group AE	AE--	249,20	487,20	264,60	519,40	306,60	597,80
	GROUP 1		Group AO	AO--						
	GROUP 2		Group D	D--	263,20	515,20	278,60	543,20	334,60	653,80
			Group M	M--						
	GROUP 3		Group A	A--	310,80	609,00	333,20	651,00	396,20	779,80

EXAMPLE OF AN ORDER

Model	Bracket finish	Divider Finish	Final Reference
DPM432 Screen for frontal use Pack 2 units	B White bracket	T82 Group T Upholstered	DPM432BT82

TABLE TOP DIVIDERS FOR - FRONTAL USE ON INDIVIDUAL AND DOUBLE DESKS

					
		38	38	38	38
		Upholstered divider e=30 mm	Upholstered divider e=30 mm		

Model Dimensions (A x B)	ZL43 110 38	ZL44 130 38	ZL45 150 38
	TABLE TOP DIVIDER FOR 120 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK

Coding required to
configure reference.
They do not mean an
increase in cost

Units / Pack	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference	ZL431	ZL432	ZL441	ZL442	ZL451	ZL452
Bracket finish	WHITE 0					
	BLACK 8					

FLEXIBLE PROFILE UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e= 11/2" Flexible profile	GROUP 0	Group T	3T--	161,00	306,60	166,60	319,20	179,20	347,20
	GROUP 1	Group AE	3AE--	189,00	361,20	200,20	386,40	242,20	471,80
		Group AO	3AO--						
	GROUP 2	Group D	3D--	201,60	389,20	214,20	417,20	273,00	529,20
		Group M	3M--						

Model Dimensions (A x B)	DPM43 110 38	DPM44 130 38	DPM45 150 38
	TABLE TOP DIVIDER FOR 120 and 160 cm DESK	TABLE TOP DIVIDER FOR 140 and 160 cm DESK	TABLE TOP DIVIDER FOR 160 cm DESK




Units / Pack	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference	DPM431	DPM432	DPM441	DPM442	DPM451	DPM452
Bracket finish	WHITE B					
	BLACK N					

SEWN AND SHEATHED UPHOLSTERED DIVIDER e= 30 mm - h= 38 cm

Upholstered e= 11/2" Sewn and sheathed	GROUP 0	Group T	T--	196,00	378,00	203,00	393,40	217,00	420,00
	GROUP 1	Group AE	AE--	224,00	432,60	239,40	466,20	278,60	541,80
		Group AO	AO--						
	GROUP 2	Group D	D--	235,20	459,20	252,00	490,00	308,00	599,20
		Group M	M--						
	GROUP 3	Group A	A--	284,20	555,80	306,60	596,40	369,60	722,40

PRISMA

Model	Divider Finish	Bracket finish	Final Reference
DPM432 Screen for frontal use Pack 2 units	90 White Methacrylate	B White bracket	DPM43290B

Model Dimensions (A x B)				DPM43		DPM44		DPM45	
				110 28 		130 28 		150 28 	
				TABLE TOP DIVIDER FOR 140, 160 and 180 cm DESK		TABLE TOP DIVIDER FOR 140, 160 and 180 cm DESK		TABLE TOP DIVIDER FOR 160 and 180 cm DESK	
Units / Pack				Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 2 Units
Base Reference				DPM431	DPM432	DPM441	DPM442	DPM451	DPM452
METHACRYLATE DIVIDER e = 8 mm - h= 28 cm									
Methacrylate		White	90	148,40	282,80	162,40	308,00	172,20	333,20
GLASS DIVIDER e = 8 mm - h= 28 cm									
Glass		White	52	257,60	501,20	285,60	555,80	313,60	611,80
Bracket finish	WHITE		B						
	BLACK		N						

They do not mean an increase in cost