

Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65.
Prices effective as June 2023.

TALENT


— By Alegre Design —






TALENT SERIE 100 - Fixed desks with levellers


Straight desks, 60 cm depth



Straight desks, 69 cm depth




Straight progressive desks, 60 cm depth




TALENT SERIE 300 - Fixed desks with castors and folding desk-top

Straight desks, 69 cm depth




Straight desks, 80 cm depth




TALENT SERIE 500 - Height adjustable desks with castors and folding desk-top


Straight desks, 67 cm depth



Straight desks, 69 cm depth



Straight desks, 69 cm depth with wiring access incorporated



AVAILABLE FINISHES:

Desk-top Finishes



Structure Finishes



TALENT SERIE 100 - Fixed desks with levellers



- 1 25 mm melamine desk-top with straight PVC edge.
- 2 3 mm folded steel plate bracket in a white, black and aluminised finish with an epoxy paint coating.
- 3 70x40 and e=2 steel tube recessed crossbar with bumper edge to safely support the desk top.
- 4 Ø60 mm extruded aluminium column in a white, black and aluminised finish with an epoxy paint coating.
- 5 Straight aluminium injection legs in a white, black or aluminised finish, with an epoxy paint coating and polished aluminium finish.
- 6 Ø46mm levellers with non-skid patch.

Optional Accessories:

Cable Access Management



Ø80mm "U" cable access



Push Latch "T" cable access



Metal tray for "T" type cable access



Individual metal cable tray



Polypropylene flexible cable routing

Modesty Panel



Melamine or steel

Desk Top Screens



TALENT offers a variety of options in screens. Fully upholstered, with aluminium profiles or rails for attaching 3rd-level elements, melamine, glass or methacrylate

CPU Holder



Fixed to the cross beam

Linking Desks



Quick linking system. The desks are prepared to be linked laterally and frontally. They are fixed using an e=4mm plastic bracket


TALENT SERIE 300 - Fixed desks with castors and folding desk-top



- 1 25 mm melamine desk-top with PVC edge and shock absorbing rubber.
- 2 Folding desk top with locking/unlocking system.
- 3 Aluminium injection bracket in a white, black and aluminised finish with an epoxy paint coating.
- 4 Injected aluminium corner joint for attaching columns and crossbars.
- 5 Polypropylene vertical stacking cap.
- 6 73x70 and e=2 mm extruded aluminium recessed crossbar with bumper to safely support the desk top.
- 7 Ø60 mm extruded aluminium column in a white, black, aluminised finish with an epoxy paint coating and electropolished with polished finish.
- 8 Straight aluminium injection legs in a white, black and aluminised finish with an epoxy paint coating and polished aluminium finish.
- 9 Stacking protection on the legs.
- 10 Black, 65 mm diameter wheels. 2 with brake and 2 without brake.



Positioning legs in an angular position

The standard 300 SERIES offer 2 different angle positions by positioning the feet in 2 positions, so they can be angled or straight depending on the vertical stackability required.




● Positioning the leg at a 22° angle

● Positioning the leg in a straight position



Folding the desk top desk-top:

The 300 SERIES offers a folding system for the work desk-top, using a system in the brackets that features a locking and unlocking position for the mechanism. At the same time, this folding allows the desks to be stacked, thus saving space. The desks come with a protector on the legs for stacking.



Locking/unlocking system for folding the work desk-top.
2 positions

Folding modesty panel fixed to the desk top in a melamine finish.



Optional Accessories:

Cable Access Management



Ø80mm "U" cable access



Push Latch "T" cable access



Metal tray for "T" type cable access



Polypropylene flexible cable routing

Folding Modesty Panel Linking of Desks



Melamine modesty panel



Quick linking. The desks are prepared to be linked laterally and frontally. They are fixed using a e=4mm plastic bracket

Linking device system for desks – TALENT 100 and TALENT 300




TALENT, in its 100 and 300 series, offers a fast linking device system for desks, thus permitting different configurations, making the desks stable and ensuring there is no unwanted movement while they are being used.

The desks are prepared to be linked laterally and frontally, using a e=4mm plastic bracket, which features a quick and simple linking device system.




Desk Models with Linking Device Systems




TALENT SERIE 100 - Fixed desks with levellers

LATERAL LINKS

Straight desks, 60 cm depth




Straight desks, 69 cm depth




TALENT SERIE 300 - Fixed desks with castors and folding desk-top

SIDE AND FRONT LINKS

Straight desks, 69 cm depth




Straight desks, 80 cm depth




Configuration Examples

Side linking



Front and side linking




TALENT SERIE 500 - Height adjustable desks with castors and folding desk-top



- 1 25 mm melamine desk-top with PVC bumper edge.
- 2 Folding desk top with locking/unlocking system.
- 3 Aluminium injection bracket in a white, black and aluminised finish with an epoxy paint coating.
- 4 Injected aluminium corner joint for attaching columns and crossbars.
- 5 Polypropilene vertical stacking cap.
- 6 Elevation system in the desk via a gas lift.
- 7 73x70 and e=2 mm extruded aluminium recessed crossbar, with bumper to safely support the desk top.
- 8 Injected aluminium telescopic central column with two 110x80 and 100x70 sections and e=2 mm, featuring gas lift elevation system, in a white, black and aluminised finish with an epoxy paint coating.
- 9 Aluminium injection legs with lateral junction, in a white, black and aluminised finish with an epoxy paint coating and polished aluminium finish.
- 10 Stacking protection on the legs.
- 11 65 mm diameter black wheels. 2 with brakes and 2 without brakes.


Desk Elevation System:



The 500 SERIES has a push button under the desk top that is easily accessible, which allows the desk to be elevated using a gas lift. Height range: 74-104 cm.

Folding the desk top desk-top:

The 500 SERIES offers a folding system for the work desk-top, using a system in the brackets with a locking and unlocking position for the mechanism. At the same time, this folding allows the desks to be stacked, thus saving space. The desks come with a protector on the legs for stacking.




Locking/unlocking system for folding the work desk-top.
2 positions



TALENT SERIE 500 - Height adjustable desks with castors and folding desk-top

Talent Desks with Laminated Writable Desk-top and dry wipeable



- 1 • 24 mm HPL desk-top with PVC edge and shock-absorbing rubber.
- White laminated melamine desk-top, suitable for writing directly on it with dry erase markers.
- Easily erased and cleaned with a simple cloth or rubber.



Cleaning the Desk-top

Easily erased and cleaned with a simple dry cloth or rubber, even when the writing has been there for a while.
The use of chemical products for cleaning the desk-top is not recommended.



Markers for Writing

To correctly write on the desk-top, the use of **dry erase markers** is recommended in order to lengthen the desk desk-top's useful life.

TALENT SERIE 500 - Height adjustable desks with castors, folding desk-top and wiring access incorporated

Talent Desks with connectivity without detracting from mobility



- 1 All models incorporate integrated connection access to the table surface with a plug.
 - High-impact fire-resistant polycarbonate housing.
 - Silver ring as standard
 - Large plastic locking nut that can be tightened by hand $\varnothing 79\text{mm}$
 - 1 x schucko, + 2 USB-charger
 - Dimensions: $\varnothing 10,8 \times h: 15,3\text{cm}$
- 2 Hook made of 3 mm thick steel plate, anchored to the bracket with capacity to pick up the wiring easily and cleanly.
- 3 Metal riser cables, made of 0,8 mm thick sheet steel, which allows simple wiring guidance, providing visual cleanliness.
- 4 Built-in 3m long cable wrapped in textile cable riser, with zipper system, with additional protection against flames and abrasion.

NOTE: HOW TO REQUEST TALENT DESKS WITH DESK-TOP CABLE ACCESS

ACCESS TO "U" CABLING



Round cable access of 80 cm diameter with polystyrene cover top.

- To order a desk with upper access to wiring you must add:
 - **ROUNDED WIRING ACCESS:** the letter **U** (for central access) at the end of the requested reference.
- Models that incorporate this standard form of access display an icon or icons alongside the corresponding reference.
- The price of desks with access to wiring will increase by each unit added, according to the price indicated in the attached table.

To order other desks with access to wiring which does not have the standard outputs (they will not contain any icon), **please consult our Sales Department.**

ACCESS TO "T" CABLING



Access system of cabling with an opening system. "Push-Latch". Made from ABS. It also incorporates an "Anti Dust" system that prevents the accumulation of dust in the wiring..

- To order a desk with upper access to wiring you must add:
 - **LARGE WIRING ACCESS:** the letter **T** (for central access) at the end of the requested reference.
- Models that incorporate this standard form of access display an icon or icons alongside the corresponding reference.
- The price of desks with access to wiring will increase by each unit added, according to the price indicated in the attached table.
- To order other desks with access to wiring which does not have the standard outputs (they will not contain any icon), **please consult our Sales Department.**

IMPORTANT NOTE: The combination of wired access is carried out in the following way:
(If in any case you want the upper access in different finishing established, the customer must indicate it on the order.)


Combinations Surface/Structure	Access to wiring finish		
	White	Aluminized	Black
Surface: White Structure: Any Finish	●		
Surface: Any finish - (Not White) Structure: Aluminized		●	
Surface: Any finish - (Not White) Structure: White or White-Polished foot/Chrome	●		
Surface: Any finish - (Not White) Structure: Black or chromed			●

PLACEMENT OF UPPER ACCESS OF WIRING ON TALENT DESKS




TALENT SERIE 100 - Fixed table with levelers


Individual Tables - 60 cm depth



Progressive Tables - 60 cm depth




Individual Tables - 69cm depth




TALENT SERIE 300 - Fixed Table with Castors and Flip Top

Individual Tables - 69cm depth



Individual Tables - 80 cm depth






INDIVIDUAL FIXED TABLES WITH LEVELERS



		DEPTH 60 cm		
Model Dimensions (A x B)		TL163 T U 138 60	TL167 T U 210 60	TL177 T U 210 69
		Fixed table - Levelers HEIGHT 74 cm TL163F	Fixed table - Levelers HEIGHT 74 cm TL167F	Fixed table - Levelers HEIGHT 74 cm TL177F
Structure		White 00	389,20	469,00
		Silver 02		
		Black 08		
		White/Polished 03		
Surface MFC		White 00		
		Lime Oak 11		
		Light Oak 10		
		Chestnut 07		
Cable Access	Optional	U	+ 23,80	+ 23,80
		T	+ 36,40	+ 36,40

SHARING MIDDLE LEG - PROGRESSIVE SYSTEM FIXED TABLES WITH LEVELERS





		DEPTH 60 cm		
Model Dimensions (A x B)		TL124 T U 276 60		
		Fixed table - Levelers HEIGHT 74 cm TL124F		
Structure		White 00	725,20	
		Silver 02		
		Black 08		
		White/Polished 03		
Surface MFC		White 00		
		Lime Oak 11		
		Light Oak 10		
		Chestnut 07		
Cable Access	Optional	U	+ 23,80	
		T	+ 36,40	

Optional Access to wiring
 Combination not available.


Coding required to configure reference.
They do not mean an increase in cost

Will be discontinued once the stocks finished

MFC MODESTY PANEL FOR INDIVIDUAL AND PROGRESSIVE TABLES - TALENT SERIE 100

Model Dimensions (A x B)	FTL14  19mm MFC Modesty Panel			FTL17  19mm MFC Modesty Panel		
	MODESTY PANEL FOR TABLES 138 cm WIDTH			MODESTY PANEL FOR TABLES 210 cm WIDTH		
Brackets	White	Silver	Black	White	Silver	Black
Base Reference	FTL140	FTL142	FTL148	FTL170	FTL172	FTL178
MFC		White	00	82,60	95,20	
		Silver	02			
		Black	08			
		Lime Oak	11			
		Light Oak	10			
		Chestnut	07			


SOPORTES CPU

Model Dimensions (A x B)						
	ATX CPU Width adjustment. From 14 to 22cm 45524	SLIM CPU Width adjustment. From 9 to 14cm 45525	MOBILE CPU HOLDER mobile CPU Holder, Width adjustment 39604			
Finish		White	0	126,00	109,20	89,60
		Silver	2			
		Black	8			


LINKING DEVICE SYSTEM

Model Dimensions (A x B)					
	Quick desk linking device. Desks are ready to be linked side to side. Linking device 4 mm thickness Use with any TALENT table - SERIE 100 PACK 10 UNITS X08				
ABS		Black	54,60		


METAL CABLE TRAY FOR TALENT TABLES - SERIE 100

Model Dimensions (A x B)	4512	4516			
					
	CABLE TRAY FOR TABLES 138 cm WIDTH	CABLE TRAY FOR TABLES 180 and 210 cm WIDTH			
Brackets	Same color finish of the sheet	Same color finish of the sheet			
Base Reference	4512	4516			
Chapa		White	0	75,60	85,40
		Silver	2		
		Black	8		

ACCESSORIES FOR ELECTRIFICATION

Model Dimensions (A x B)								
	METALLIC CONTAINER FOR "T" WIRING ACCESS Metallic Container for Connectivity elements. Use with "T" Wiring access		CABLE SPINE (METAL)	CABLE SPINE (METAL)	CABLE SPINE (POLYSTYRENE) Minimum units order: 3 units			
Pack/units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit	Pack 1 Unit	Pack 1 Unit			
Base Reference	T11	T12	5070	5071	39525			
Finish		White	0	53,20	102,20	112,00	134,40	26,60
		Silver	2					
		Black	8					

TEXTILE CABLE RISE


Model Dimensions (A x B)	3943				
					
	Braided textile wrap with zipper for quick and easy installation. Offers additional protection against flames and abrasion				
	Pack 1 Unit	Pack 4 Units			
	39431	39434			
Textile		Black	8	36,40	131,60



■ **Desks mounted screens**


Desk-Mounted screens, different sizes available, fixing kits and finishes. Easy to be adapted to any surface. They provide visual contact but at the same time privacy. Twin desks with electrification system have their own desk-mounted screens (**D50 Serie for Vital or Arkitek**)

■ **DESK MOUNTED SCREENS OFFER**




MFC SCREEN - e=19mm

19 mm thick Chipboard




GLASS SCREEN - e=8mm

Laminated Security Glass (4+4 mm) / Tempered glass (8 mm)



METHACRYLATE SCREEN - e=8mm


8 mm thick White Methacrylate



UPHOLSTERED SCREEN WITH FLEXIBLE PROFILE - e=20mm

- ① 19 mm thick Chipboard
- ② Different fabrics available glued using water glue.
- Optional acoustic or fire resistant fabrics for projects.
- ③ 8mm thick flexible Profile

SCREENS FOR INDIVIDUAL USE





Model		ZH84				
Dimensions (A x B)		130				
		For 138 cm desk				
Units / Pack		Pack 1 Ud.	Pack 2 Uds.			
Base Reference		ZH841	ZH842			
Acabado Pieza de Anclaje	WHITE	0				
	SILVER	2				
MFC DIVIDER e = 19 mm - h = 31 cm						
MFC		White	00	78,40	144,20	
METHACRYLATE DIVIDER e = 8 mm - h = 28 cm						
Methacrylate		White	90	166,60	320,60	
GLASS DIVIDER e = 8 mm - h = 28 cm						
Glass		White	52	281,40	551,60	
UPHOLSTERED DIVIDERS WITH FLEXIBLE PROFILE e = 20 mm - h = 31 cm						
Upholstered divider - e = 20 mm	GROUP 0		Group T	2T--	110,60	212,80
	GROUP 1		Group AE	2AE--	149,80	291,20
	GROUP 2		Group D	2D--	166,60	320,60
			Group M	2M--		

- Coding required to configure reference.
- They do not mean an increase in cost
- Combination not available.



FOLDING TABLE WITH CASTORS







				DEPTH 69 cm			
Model Dimensions (A x B)				TL372 T U 120 	TL373 T U 138 	TL374 T U 160 	
				Fixed Table - Castors HEIGHT 74 cm TL372J	Fixed Table - Castors HEIGHT 74 cm TL373J	Fixed Table - Castors HEIGHT 74 cm TL374J	
Structure		White	00	593,60	610,40	630,00	
		Silver	02				
		Black	08				
		White/Polished	03				+ 56,00
		Electropolished	07				+ 82,60
Surface MFC		White	00				
		Lime Oak	11				
		Light Oak	10				
		Chestnut	07				
Cable Access	Optional		U	+ 23,80	+ 23,80	+ 23,80	
			T	+ 36,40	+ 36,40	+ 36,40	
				DEPTH 80 cm			
Model Dimensions (A x B)				TL33 T U 138 	TL34 T U 160 	TL35 T U 180 	
				Fixed Table - Castors HEIGHT 74 cm TL33J	Fixed Table - Castors HEIGHT 74 cm TL34J	Fixed Table - Castors HEIGHT 74 cm TL35J	
Structure		White	00	631,40	651,00	683,20	
		Silver	02				
		Black	08				
		White/Polished	03				+ 56,00
		Electropolished	07				+ 82,60
Surface MFC		White	00				
		Lime Oak	11				
		Light Oak	10				
		Chestnut	07				
Cable Access	Optional		U	+ 23,80	+ 23,80	+ 23,80	
			T	+ 36,40	+ 36,40	+ 36,40	

Optional Access to wiring

Coding required to configure reference.
They do not mean an increase in cost

Combination not available.

FLIP MFC MODESTY PANEL FOR TALENT TABLES - SERIE 300

Model Dimensions (A x B)	FTL33  19mm MFC Modesty Panel			FTL34  19mm MFC Modesty Panel			FTL35  19mm MFC Modesty Panel			FTL36  19mm MFC Modesty Panel		
	MODESTY PANEL FOR TABLES 120 cm			MODESTY PANEL FOR TABLES 140 cm			MODESTY PANEL FOR TABLES 160 cm			MODESTY PANEL FOR TABLES 180 y 210 cm		
Brackets	White	Silver	Black	White	Silver	Black	White	Silver	Black	White	Silver	Black
Base Reference	FTL330	FTL332	FTL338	FTL340	FTL342	FTL348	FTL350	FTL352	FTL358	FTL360	FTL362	FTL368
MFC		White	00	75,60	78,40	79,80	82,60					
		Silver	02									
		Black	08									
		Lime Oak	11									
		Light Oak	10									
		Chestnut	07									

ACCESSORIES FOR ELECTRIFICATION

Model Dimensions (A x B)	 9,9 17,3 31,5 cm		 80 4,5			
	METALLIC CONTAINER FOR "T" WIRING ACCESS Metallic Container for Connectivity elements. Use with "T" Wiring access		CABLE SPINE (POLYSTYRENE) Minimum units order: 3 units			
Pack/units	Pack 1 Unit	Pack 2 Units	Pack 1 Unit			
Base Reference	T11	T12	39525			
Finish		White	0	53,20	102,20	26,60
		Silver	2			
		Black	8			

LINKING DEVICE SYSTEM

Model Dimensions (A x B)			
	Quick desk linking device. Desks are ready to be linked side to side. Linking device 4 mm thickness Use with any TALENT table - SERIE 300		
Pack/units	Pack 10 Units		
Base Reference	X08		
ABS		Black	54,60



ELEVABLE TABLE WITH CASTORS AND FLIP TOP



				Depth 67 cm			
Model Dimensions (A x B)		TL560 	TL562 	TL563 	TL564 		
		ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL560L	ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL562L	ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL563L	ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL564L		
Structure		White 00	1006,60	1087,80	1111,60	1181,60	
		Silver 02					
		Black 08					
		White/Polished 03					
Surface		Anti fingerprints Black 03					
MFC							
				Depth 69 cm			
Model Dimensions (A x B)		TL570 	TL572 	TL573 	TL574 		
		ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL570L	ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL572L	ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL573L	ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL574L		
Structure		White 00	956,20	999,60	1023,40	1047,20	
		Silver 02					
		Black 08					
		White/Polished 03					
Surface		White 00					
		Lime Oak 11					
		Light Oak 10					
		Chestnut 07					
Writable HPL Surface		White 20	+ 77,00	+ 99,40	+ 102,20	+ 109,20	

Optional Access to wiring

Combination not available.

Coding required to configure reference.
They do not mean an increase in cost



ELEVABLE TABLE WITH CASTORS, FLIP TOP AND WIRING ACCESS INCLUDED



				Depth 69 cm		
Model Dimensions (A x B)				TL582 120 69	TL583 138 69	TL584 160 69
				ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL582L	ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL583L	ELEVABLE TABLE - CASTORS ADJUSTMENT RANGE 74-104 cm TL584L
Structure		White	00	1836,80	1860,60	1884,40
		Silver	02			
		Black	08			
		White/Polished	03			
Surface MFC		White	00			
		Lime Oak	11			
		Light Oak	10			
		Chestnut	07			
Cable Access	N - Connecting System: 1 Schuko + 2 USB	US-120v	N1			
		EU-220v	N2			
		UK-220v	N3			

OPTIONAL:	PVP
CX20	Extension cable 1'5 mts. 37,80

Optional Access to wiring

Combination not available.

Coding required to configure reference.
They do not mean an increase in cost