Efit




Manufacturer: Actiu, Spain



Efit

Manufacturer: Actiu, Spain

Technical specifications

Model	**Efit** · Series 40	**Efit** · Series 10
Backrest	Made of polypropylene (P.P) + 15% fiberglass with grooves that facilitate transpiration.	Made of polypropylene (P.P) + 15% fiberglass with grooves that facilitate transpiration. Upholstered polyurethane foam sheet.
	Medium and high backrest.	High backrest.
Lumbar support	Adaptive lumbar support	
Arms	Model available with and without arms (models without arms do not allow subsequent placement).	
Arms 2D	- **Polypropylene** injection moulded structure. - **Height adjustment**: 7 locking positions with a range of 7 cm. **Width adjustment between arms**: Maximum travel of 3 cm per arm (total width + 6 cm).	
Arms 3D	- Arms with **polypropylene or aluminium** injection moulded structure. - Height adjustment: 7 locking positions. Width adjustment between arms: Maximum travel of 3 cm per arm (total width + 6 cm). **360° pivoting swivel system**: Allows the armrest to swivel horizontally with the option of locking it.	
Seat	Seat with ACS technology (airflow comfort system). Made of PU (polyurethane) flexible moulded foam (density 50-60 kg/m3). Upholstered seat available in a wide range of fabrics with lower shell made of glass-fibre reinforced polypropylene (PP + 20% GF), finished in white or black.	
Seat slide (Trasla)	Transla mechanism with rack and pinion system that allows the horizontal travel of the seat to be locked in 8 positions. **Total travel range:** 7 cm.	
Synchro mechanism	Synchronised tilting system of the backrest and seat in 4 positions from 7° at the up-right blocked position up to 21° at the maximum angle, to adjust and select the tilt angle of the back just turn the end of the knob underneath of the seat.	
Gas lift	Seat + backrest lift by gas pump. **Lifting range**: 42,5 cm to 52,5 cm.	
Bases	5-spoke swivel base in die-cast aluminum or polyamide with fiberglass (PA6+ 30% GF)	
Support	6 cm diameter silent castors with Teflon tread. **Optional safety castors with self-braking system.**	
Measures	**Total measures:** Height: 91 a 101 cm Width: 68,5 cm Depth: 68,5 cm **Seat measures:** Height: 42,5 a 52,5 cm Width: 46 a 51 cm Depth: 47 a 54 cm	**Total measures:** Height: 97 a 107 cm Width: 68,5 cm Depth: 68,5 cm **Seat measures:** Height: 42,5 a 52,5 cm Width: 46 a 51 cm Depth: 47 a 54 cm	**Total measures:** Height: 97 a 107 cm Width: 68,5 cm Depth: 68,5 cm **Seat measures:** Height: 42,5 a 52,5 cm Width: 46 a 51 cm Depth: 47 a 54 cm
			

Efit

Manufacturer: Actiu, Spain

Functionalities

Types of mechanism

Synchro mechanism with limiter and gas lift

1



Seat height

The seat height adjustment is made by means of a gas pump. The mechanism is operated by pushing up the handle located on the right side, in the sitting position, under the seat.

Synchro mechanism with limiter and gas lift

1



Seat height

The seat height adjustment is made by means of a gas pump. The mechanism is operated by pushing up the handle located on the right side, in the sitting position, under the seat.

Synchro mechanism with limiter and gas lift

2

4 positions



Synchro self-weighting mechanism

Stay has 4 defined backrest positions, with programmed ranges of 7° from the locking position to the maximum position of 21°. A sensitive adjustment device is incorporated under the seat that allows the tension to be adjusted to personalise the user's comfort by turning the device to achieve a greater or lesser tension.

Included functionalities



Airflow confort system

The seat has been designed with air chambers to improve comfort, flexibility and pressure distribution for any user. Covered with flexible PR injected foam of 50-60 kg/m3 density.



Seat travel (TRASLA)

The horizontal displacement of the seat allows adjusting the distance of the seat from the backrest, so that it adapts to users of different anthropometric characteristics. **The seat can be locked in 8 positions.** The auto return system moves the seat to the initial position without exerting pressure on the seat.



Adaptive lumbar

Lumbar support integrated in the backrest with a horizontal stroke that allows total adaptation.

Efit

Manufacturer: Actiu, Spain

Optional functionalities

Arms 2D and 3D



Arm height adjustment

It is operated by pressing the button located under the armrest. **7 locking positions are available.**



Distance between arms

Manual operation from sitting position. Maximum stroke of 3 cm per arm (maximum width + 6 cm).

Arms 3D



Pivoting system

360° pivoting movement of the arm that allows the armrest to rotate horizontally. Incorporation of anti-panic trigger in aluminum arms.

Arms 2D / White



Arms 2D / Black



Arms 3D / White



Arms 3D / Black



Arms 3D / Polished



Castors and caps

Standard castors



All chairs include as standard soft castors with silent teflon tread which allows an easy and light movement of the chair in black finish. Diameter 6 cm.

Auto-brake castors



This system provides security according to standard EN 12529 as it avoids accidental movement of the chair. While sat on the chair, it moves easily.



Optional safety castors, with self-braking system, which prevent the chair from unintentionally rolling away. Available in different finishes. The safety brake according to standard EN 12529 for office chairs requires that when the chair is unloaded, i.e. before the user sits down, the castors are slightly braked and do not give the chair the possibility of sliding when the user sits down. It includes an easy system to reduce and/or deactivate the braking force, and is mainly considered as an aesthetic option.

Antistatic castors



Electrostatic dissipative castors that are designed to allow static electricity to flow through the tread and dissipate safely into the ground.

Caps




Black Polypropylene (PP) caps with antiskid rubber.

Efit

Manufacturer: Actiu, Spain

How to code a reference correctly



1. At the beginning of the coding and price tables of our price list, you will find the available models and their prices, as well as the basic reference of the product.

2. The system is designed to code vertically, adding desired components to the product by selecting the reference digits. Creating a correlation that will form the final order reference.

3. The finishes of arms, bases, optional complements, supports and upholstery will be shown in different colors so that the location of their reference and price is intuitive.

4. At the end of each table we will have legends or informative notes about the product being offered. Please read carefully to avoid confusion or mistakes when ordering.

5. This catalog has an interactive menu that will facilitate the user's navigation. It is located at the bottom of each page and from it you can go to the index, go back or even navigate within the family and the product displayed.

Example of reference configuration for an order

MODEL	↓
Series 40 · Medium backrest · Polypropylene · Task seating with backrest support, and lower shell BLACK finished	**EF148**

TYPE OF MECHANISM	↓
Synchro mechanism with limitation	5

TYPE OF ARMS	↓
2D Arms · **Black Plastic**	28

BASE FINISH	↓
Polyamide · **Black**	03

TYPE OF SUPPORT	↓
Rueda Standard · **Black**	B

BACKREST FINISH	↓
Polypropylene · **Black**	P10

SEAT UPHOLSTERY	↓
Group 1 · **Fabric · Era**	AE62

FINAL CONFIGURATION REFERENCE
EF148 5 28 03 B P10 AO62



Comprehension legend

	Configuration required to set up reference. **No cost increase**		Combination not available		

** The final cost of the module will be obtained starting from the established base price and adding to it the cost of the different complements that are added to it.*

Efit

Manufacturer: Actiu, Spain

Series 40 · Medium backrest
Polypropylene





BASE	The reference includes gas lift and standard castors.	
FEATURES	Task seating with backrest support, and lower shell **WHITE** finished	Task seating with backrest support, and lower shell **BLACK** finished
REFERENCE	**EF140**	**EF148**

TYPE OF MECHANISM					
Gas lift	4	$890		$890	
Synchro mechanism with limitation	5		$1,091		$1,091

TYPE OF ARMS					
Without arms	00				
2D Arms · **White Plastic**	20	+ $156	+ $156		
2D Arms · **Black Plastic**	28			+ $156	+ $156
3D Arms · **White Plastic**	30		+ $275		
3D Arms · **Black Plastic**	38				+ $275
3D Arms · **White Aluminium**	31		+ $356		
3D Arms · **Black Aluminium**	33				+ $356
3D Arms · **Polished Aluminum**	39				+ $430

BASE FINISH					
5-spoke base · **White Polyamide**	01				
5-spoke base · **Black Polyamide**	03				
5-spoke base · **White Aluminum**	00		+ $160		
5-spoke base · **Black Aluminum**	08		+ $160		+ $160
5-spoke base · **Polished Aluminum**	09		+ $6		+ $6

TYPE OF SUPPORT						
	Standard castors · **Black**	B				
	Caps · **Black**	W	+ $0	+ $0	+ $0	+ $0
	Auto-brake castors · **Blackda**	F	+ $41	+ $41	+ $41	+ $41
	Autobraking hole castors · **Black**	R	+ $134	+ $134	+ $134	+ $134
	Autobraking hole castors · **White**	S				
	Antistatic castors · **Black**	T	+ $148	+ $148	+ $148	+ $148

BACKREST FINISH					
Polypropylene · **White**	P00				
Polypropylene · **Black**	P10				

FINISHED SEAT · UPHOLSTERED						
Group 0	**Fabric Basic F.R.**	AT - -	+ $0	+ $0	+ $0	+ $0
Group 1	**Fabric Era**	AE - -	+ $48	+ $48	+ $48	+ $48
	Fabric Radio	AI - -				
	Fabric Tonal	AO - -				
Group 2	**Fabric Felicity**	AD - -	+ $67	+ $67	+ $67	+ $67
	Fabric Valencia	BV - -				
	Fabric Step / Step Melange	CM - -				
Group 3	**Fabric Synergy**	FA - -	+ $100	+ $100	+ $100	+ $100

	Configuration required to set up reference. **No cost increase**		Combination not available		

Efit

Manufacturer: Actiu, Spain

Series 40 · High backrest
Polypropylene

			
BASE		The reference includes gas lift and standard castors.	
FEATURES		Task seating with backrest support, and lower shell **WHITE** finished	Task seating with backrest support, and lower shell **BLACK** finished
REFERENCE		**EF180**	**EF188**
TYPE OF MECHANISM			
Gas lift	**4**	$909	$909
Synchro mechanism with limitation	**5**	$1,109	$1,109
TYPE OF ARMS			
Without arms	**00**		
2D Arms · **White Plastic**	**20**	+ $156	+ $156
2D Arms · **Black Plastic**	**28**		+ $156 + $156
3D Arms · **White Plastic**	**30**	+ $275	
3D Arms · **Black Plastic**	**38**		+ $275
3D Arms · **White Aluminium**	**31**	+ $356	
3D Arms · **Black Aluminium**	**33**		+ $356
3D Arms · **Polished Aluminum**	**39**		+ $430
BASE FINISH			
5-spoke base · **White Polyamide**	**01**		
5-spoke base · **Black Polyamide**	**03**		
5-spoke base · **White Aluminum**	**00**	+ $160	
5-spoke base · **Black Aluminum**	**08**	+ $160	+ $160
5-spoke base · **Polished Aluminum**	**09**	+ $6	+ $6
TYPE OF SUPPORT			
Standard castors · **Black**	**B**		
Caps · **Black**	**W**	+ $0	+ $0 + $0 + $0
Auto-brake castors · **Blackda**	**F**	+ $41	+ $41 + $41 + $41
Autobraking hole castors · **Black**	**R**	+ $134	+ $134 + $134 + $134
Autobraking hole castors · **White**	**S**		
Antistatic castors · **Black**	**T**	+ $148	+ $148 + $148 + $148
BACKREST FINISH			
Polypropylene · **White**	**P00**		
Polypropylene · **Black**	**P10**		
FINISHED SEAT · UPHOLSTERED			
Group 0	**Fabric Basic F.R.**	**AT - -**	+ $0 ++ $$0 ++ $$0 ++ $$0
Group 1	**Fabric Era**	**AE - -**	+ $48 + $48 + $48 + $48
	Fabric Radio	**AI - -**	
	Fabric Tonal	**AO - -**	
Group 2	**Fabric Felicity**	**AD - -**	+ $67 + $67 + $67 + $67
	Fabric Valencia	**BV - -**	
	Fabric Step / Step Melange	**CM - -**	
Group 3	**Fabric Synergy**	**FA - -**	+ $100 + $100 + $100 + $100


Configuration required to set up reference. **No cost increase**

Combination not available

Efit

Manufacturer: Actiu, Spain

Accessories
Castors kit



MODEL		Standard Castors **Black**	Caps **Black**	Auto-Brake Castors **Black**	Auto braking Hole castors **Black**	Auto braking Hole castors **White**	Antistatic Castors **Black**
REFERENCE		**XKRSP0101B**	**XKRSP0101W**	**XKRSP0101F**	**XKRSP0101R**	**XKRSP0101S**	**XKRSP0101T**
PACK							
PACK OF 5 UNITS	**05**	$96	$96	$115	$230	$230	$297

Series 40 · Polypropylene medium back rest |

Fabric AT · Basic F.R.

AT87 AT89 AT61 AT58 AT37 AT77 AT85 AT27 AT70 AT64 AT84 AT82

Fabric AE · Era

AE69 AE62 AE44 AE37 AE92 AE84 AE82 AE21 AE16 AE14 AE08

Fabric AI · Radio

AI66 AI53 AI58 AI44 AI42 AI90 AI89 AI25 AI23 AI13 AI08

Fabric AO · Tonal

AO62 AO59 AO34 AO90 AO16 AO08

Fabric AD · Felicity

AD18 AD13 AD16 AD14 AD11 AD21 AD22 AD15 AD12

Fabric BV · Valencia

BV19 BV18 BV13 BV12 BV15 BV11 BV21 BV20 BV17 BV10

Fabric CM · Step & Step Melange

CM62 CM76 CM46 CM58 CM91 CM77 CM93 CM92 CM90 CM16 CM12

CM19 CM63 CM17 CM49 CM10 CM89 CM20 CM14 CM22

Fabric FA · Synergy

FA16 FA13 FA18 FA25 FA27 FA11 FA17 FA20 FA22

Tusch Seating International Inc.
404 Consumers Road
North York, ON Canada M2J 1P8
T 416.368.6100
info@tuschseating.com
www.tuschseating.com