Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

MENSULA

Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

Table program

Executive desk and auxiliary cabinet · Height electric lift 74-121 cm





MS1F032210H

MS1F022210H



MS1F112210H



MS1F102210H

Executive desk and filing Credenza · Height electric lift 74-121 cm





MS1F052210H



MS1F132210H

Meeting tables · Height 74 cm



DC QC RC

MS1G011414C



DC QC RC

MS1G012012C



DC

MS1G013615C

Meeting tables · Height electric lift 74-107 cm



DC QC RC



MS1G011414H

Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

Technical specifications

Executive desk and auxiliary cabinet · Electric lift // Executive desk and credenza · Electric lift

1 Surface offered in different finishes:
- COMPACT LAMINATE: 10 mm thick compact board made of HPL sheets. Covered with a high-pressure laminate in white or decorated with different textures, with a beveled edge.
- LAMINATED MDF: Medium-density fiberboard laminated with natural wood in an oak finish, with a 19 mm thickness and a beveled edge.

2 Work surface support made of welded steel tube with two decorative liners. Includes an integrated wiring management solution that allows for efficient cable routing and concealment.

3 Lateral column structure with two segments, characterized by its exceptional robustness and its section dimensions of 194 x 147 mm, which ensures firm support for the management table.

4 Height regulation with electric lift: from 74 to 114 cm. Incorporates a security system to minimize damage from collision with objects.

5 The lower support is constituted by a cast aluminium base. This component has been designed to provide a solid base and superior stability to the entire table unit. Incorporates end caps without felt, manufactured with plastic glides.

6 Table support module in MDF auxiliary filing unit.
- 1 or 2 sliding doors (depending on model) with a soft-close system and invisible hidden runners.
- 1 drawer with full-extension runners and a soft-close system.
- Internal shelf for the outer modules without a drawer, made of MDF and adjustable in 4 heights.
- Circular electrification access integrated into the cabinet, with a Ø50mm hole in the top cover, for concealed cable management within the cabinet.
- Supports with levelers of easy interior access and a useful travel of +20mm.

7 40 kg internal counterweight (4x10kg). Four textile screen-printed bags of sand included in the reference.

8 Maximum support weight: 60 kg distributed over the entire surface.

Graphical description of details and customisation



2 segments: Electric regulation. 1 motor.

PROGRAMMABLE CONTROL:
- Pusher to raise and lower by tilting the control.
- LED screen.
- 4 memory functions.
- Reminder function :
  - Color light indicates usage status.
  - Color change alerts when to change position.
  - Encourages healthy variation of postures.
- Integrated Bluetooth® connectivity

Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

Technical specifications

Meeting desk

1 Surface offered in different finishes:
- COMPACT LAMINATE: 10 mm thick compact board made of HPL sheets. Covered with a high-pressure laminate in white or decorated with different textures, with a beveled edge.
- LAMINATED MDF: Medium-density fiberboard laminated with natural wood in an oak finish, with a 19 mm thickness and a beveled edge.

2 Surface support made of 25 mm thick melamine board, acting as support for the work surface.

3 Lower container of 6 mm thick sheet steel, with large capacity for wiring

4 Column:
- Fixed tables: 150 x 150 mm aluminum extrusion
- Electric lift tables: Telescopic steel tube leg composed of 1 section of 137 x 137 mm, plus an extruded aluminum cover of 50x 150 mm.

5 Square base of 610 x 610 mm, made of injected aluminum. PP levelers. Includes counterweight for greater stability.

6 Silent Block: System that minimizes the noise of table elevation.

Graphical description of details and customisation

Electric lift

2 segments: Electric regulation. 1 motor.

PROGRAMMABLE CONTROL:
- Buttons to raise and lower.
- LED screen.
- 3 memory functions.

Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

Wiring Management

Executive desk and auxiliary cabinet · Electric lift // Executive desk and credenza · Electric lift

Menssula integrates an efficient wiring management system , designed for the simple and secure concealment of all electrical wiring. This design optimizes space usage and prevents accident risks. Furthermore, the hidden cable riser in the cabinet and the internal frame guarantee complete visual cleanliness on the tables.

1 Connectivity strip integrated into the table frame.

2 Curled cable included with the table, which allows for accompaniment during table elevation.

3 Cable management concealed inside the cabinet.

4 Machined slot in the top board that serves as a cable grommet to provide electrification to the workstation.



Meeting desk

Menssula incorporates a wiring management system that allows for the efficient and simple concealment of the wiring, optimizing its use and preventing possible accidents caused by faulty electrical wiring. Furthermore, with the help of the metallic cable riser and the textile cable riser, a visual cleanliness of wiring is achieved on the tables.

1 Cable grommet window made in the base, to allow the bottom passage of wiring.

2 Cable grommet window made in the exterior column, which allows the exit of the wiring for correct connection with peripherals placed in the metal container.

3 Window made in the interior column, which allows coupling to the polypropylene cable guide placed at the base of the support.

4 Guía pasacables realizada en polipropileno colocada en la base de la peana.

5 Metallic cable riser, with a simple clipping system in the slots of the Menssula column, which allows for easy cable guiding, providing visual cleanliness.

6 Textile cable riser, with zipper system, with additional protection against flames and abrasion. (Only tables with height elevation) .



Prices shown are not the final selling price.
To obtain the list price, multiply the price by 2.65. Prices effective as July 2026.

Finishes available

Desk-top

Compact Laminate · Thickness: 10 mm with bevelled edge

10 mm thick compact board made of wood fibres.With white or decorated high pressure laminate and bevelled edge.

Black core

Traffic White

Coloured core





Fenix®
Black anti-fingerprint

MDF · Thickness: 19 mm with bevelled edge

Medium density fibreboard laminated with natural wood in oak finish with a thickness of 19 mm and with a bevelled edge





Storage

MDF

Chipboard with melamine surface in different finishes with a thickness of 19 mm.

Black anti-fingerprint

STRUCTURE

Black

Meeting Tables Finishes Combinations

Meeting desk · 74 cm height



MS1G013615C

Perimeter Surface:
Compact laminate traffic white
Central surface:
Fenix® Black anti-fingerprint
Wiring access: **Black**
Structure: **Black**

Perimeter Surface:
Compact laminate pulpis light
Central surface:
Fenix® Black anti-fingerprint
Wiring access: **Black**
Structure: **Black**

Perimeter Surface:
Compact laminate samas black
Central surface:
Fenix® Black anti-fingerprint
Wiring access: **Black**
Structure: **Black**

Perimeter Surface:
Fenix® Black anti-fingerprint
Central surface:
Fenix® Black anti-fingerprint
Wiring access: **Black**
Structure: **Black**

Superficie perimetral:
DM laminado roble
Central surface:
MDF Black anti-fingerprint
Wiring access: **Black**
Structure: **Black**

Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

Access to wiring and connections

Wiring access D	Wiring access Q	Wiring access R
		
MAXIMUM OPENING 95°	**MAXIMUM OPENING 110°.**	**MAXIMUM OPENING 110°.**
Die-cast aluminium lid Die-cast aluminium frame Aluminium guides for adjustment according to the thickness of the surface between 13 and 25 mm **Dimensions:** 230 x 115 mm	Black aluminum injected frame. Aluminum injected cover. Aluminum guides for adjustment according to the thickness of the surface between 13 and 30 mm. **Dimensions:** 305 x 121 mm.	COMPACT LAMINATE cover with the same finish as the surface. Black bristle brush. Black aluminum injected frame. Aluminum guides for adjustment according to the thickness of the surface 10 mm. **Dimensions:** 305 x 121 mm.

· The models that incorporate these accesses in a standardized way show the corresponding icon or icons together with their reference.
· The price of the tables with WIRING access will be increased for each unit incorporated, according to the price indicated in the attached table.
· To request other tables with access to wiring that do not have standardized outlets (they will not contain any icon), please consult with the sales department.
· To request a table with access above the wiring, the following coding must be added at the end of the requested reference, according to its placement.

CENTERED ACCESS
DC QC RC

Combinaciones de acabados ofertadas

ACABADOS DE SUPERFICIE Y STRUCTURE		COMBINATIONS OF FINISHES OFFERED ACCESO DE CABLEADO		
Surface	Structure	D WIRING ACCES	Q WIRING ACCES	R WIRING ACCES
COMPACT LAMINATE TRAFFIC WHITE	BLACK	BLACK	BLACK	COMPACT LAMINATE · TRAFFIC WHITE
COMPACT LAMINATE SAMAS BLACK	BLACK	BLACK	BLACK	COMPACT LAMINATE · SAMAS BLACK
FENIX® BLACK ANTI-FINGERPRINT	BLACK	BLACK	BLACK	FENIX® BLACK ANTI-FINGERPRINT
COMPACT LAMINATE PULPIS LIGHT	BLACK	Black	BLACK	COMPACT LAMINATE · PULPIS LIGHT
DM LAMINADO ROBLE	BLACK	BLACK	BLACK	

* **Important note:** The combination of the accesses with wiring is carried out as follows (If in any of the cases it is desired that the electrification output be in a different finish than the one established, the client must expressly indicate it in the order).

Superior cable access location to cabling and connections

Meeting tables

Centered access

DC QC RC



DC QC RC



DC



Prices shown are not the final selling price. To obtain the list price, multiply the price by 2.65. Prices effective as July 2026.

How to code to reference correctly



1. At the beginning of the coding and price tables of our price list, you will find the available models and their prices, as well as the basic reference of the product.

2. The system is designed to code vertically, adding desired components to the product by selecting the reference digits. Creating to correlation that will form the final order reference.

3. The finishes of arms, bases, optional complements, supports and upholstery will be shown in different colors so that the location of their reference and price is intuitive.

4. At the end of each table we will have legends or informative notes about the product being offered. Please read carefully to avoid confusion or mistakes when ordering.

5. This catalog has an interactive menu that will facilitate the user's navigation. It is located at the bottom of each page and from it you can go to the index, go back or even navigate within the family and the product displayed.

Example of reference configuration for an order

MENSSULA	MS1
MODEL: Executive desk and credenza	F05
Cabinet position: Reversible	
Dimensions (desk): 220x100cm	2210
Dimensions (cabinet): 200x60x59cm	
Mechanism: Electric elevation	H
Height: 74-114cm	

STRUCTURE TYPE	↓
Lateral column	I

SUPPORT TYPE	↓
Glides without felt	L

SURFACE FINISH	↓
Table top: Compact L.pulpis light	F26
Body finish: MDF black anti-fingerprint	
Front finish: MDF black anti-fingerprint	M03

STRUCTURE FINISH	↓
Black	08

TABLETOP TYPE	↓
Round corners / Fixed	2

ELECTRIC CONTROL TYPE	↓
Digital Programmable control ·EU · 220v	B2

REFERENCE DE CONFIGURACIÓN FINAL
MS1 F05 2210 H I L F26M03 08 2 B2

** The final cost of the module will be obtained starting from the established base price and adding to it the cost of the different complements that are added to it.*

	Configuration required to set up reference. No cost increase		Combination not available		Removed after stocks are exhausted

Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

Executive desk and auxiliary cabinet ·
Electric elevation · 100cm width



MODEL	Executive desk and auxiliary cabinet	Executive desk and auxiliary cabinet	Oval executive desk and auxiliary cabinet	Oval executive desk and auxiliary cabinet
CABINET POSITION	Right	Left	Right	Left
MECHANISM	Electric elevation	Electric elevation	Electric elevation	Electric elevation
HEIGHT	74-114cm	74-114cm	74-114cm	74-114cm
DIMENSIONS (DESK)	220x100cm	220x100cm	220x100cm	220x100cm
DIMENSIONS (CABINET)	136x60x59cm	136x60x59cm	136x60x59cm	136x60x59cm
REFERENCE	**MS1F022210H**	**MS1F032210H**	**MS1F102210H**	**MS1F112210H**
BASE PRICE	7.949,20	7.949,20	7.949,20	7.949,20
STRUCTURE TYPE				
Lateral column	**I**			
SUPPORT TYPE				
Glides without felt	**L**			
SURFACE FINISH				
TABLE TOP / BODY FINISH / FRONT FINISH				
Compact L. traffic white / MDF black anti-fingerprint / MDF black anti-fingerprint	**F20M03**			
Compact L. samas black / MDF black anti-fingerprint / MDF black anti-fingerprint	**F28M03**	+ 411,60	+ 411,60	+ 411,60	+ 411,60
Fenix® black anti-fingerprint / MDF black anti-fingerprint / MDF black anti-fingerprint	**F03M03**	+ 764,40	+ 764,40	+ 764,40	+ 764,40
Compact L. pulpis light / MDF black anti-fingerprint / MDF black anti-fingerprint	**F26M03**	+ 1.086,40	+ 1.086,40	+ 1.086,40	+ 1.086,40
Light oak laminated MDF / MDF black anti-fingerprint / MDF black anti-fingerprint	**L10M03**	+ 683,20	+ 683,20	+ 683,20	+ 683,20
STRUCTURE FINISH				
Black	**08**			
TABLETOP TYPE				
Round corners / Fixed	**2**			
ELECTRIC CONTROL TYPE				
Digital Programmable control	US 120v	**B1**			
	EU 220v	**B2**			
	UK 220v	**B3**			

Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

Executive desk and credenza ·
Electric elevation · 100cm width





MODEL	Executive desk and credenza	Oval executive desk and credenza
CABINET POSITION	Reversible	Reversible
MECHANISM	Electric elevation	Electric elevation
HEIGHT	74-114cm	74-114cm
DIMENSIONS (DESK)	220x100cm	220x100cm
DIMENSIONS (CABINET)	200x60x59cm	200x60x59cm
REFERENCE	**MS1F052210H**	**MS1F132210H**
BASE PRICE	8.638,00	8.638,00

STRUCTURE TYPE			
Lateral column	**I**		

SUPPORT TYPE			
Glides without felt	**L**		

SURFACE FINISH					
TABLE TOP	**BODY FINISH**	**FRONT FINISH**			
Compact L. traffic white	MDF black anti-fingerprint	MDF black anti-fingerprint	**F20M03**		
Compact L. samas black	MDF black anti-fingerprint	MDF black anti-fingerprint	**F28M03**	+ 411,60	+ 411,60
Fenix® black anti-fingerprint	MDF black anti-fingerprint	MDF black anti-fingerprint	**F03M03**	+ 764,40	+ 764,40
Compact L. pulpis light	MDF black anti-fingerprint	MDF black anti-fingerprint	**F26M03**	+ 1.086,40	+ 1.086,40
Light oak laminated MDF	MDF black anti-fingerprint	MDF black anti-fingerprint	**L10M03**	+ 683,20	+ 683,20

STRUCTURE FINISH			
Black	**08**		

TABLETOP TYPE			
Round corners / Fixed	**2**		

ELECTRIC CONTROL TYPE				
Digital Programmable control	US 120v	**B1**		
	EU 220v	**B2**		
	UK 220v	**B3**		

Prices shown are not the final selling price.
To obtain the list price, multiply the price by
2.65. Prices effective as July 2026.

Meeting table

					
MODEL		Meeting table	Meeting table	Meeting table	Meeting table
MECHANISM		Fixed height	Electric elevation	Fixed height	Fixed height
HEIGHT		74cm	74-107cm	74cm	74cm
DIMENSIONS		140x140cm	140x140cm	200x120cm	360x155cm
REFERENCE		**MS1G011414C**	**MS1G011414H**	**MS1G012012C**	**MS1G013615C**
BASE PRICE		2.472,40	3.536,40	2.787,40	7.077,00
STRUCTURE TYPE					
Central column + Plinth base	**S**				
Two central columns	**M**				
SUPPORT TYPE					
Levelers	**F**				
SURFACE FINISH					
Compact laminate traffic white	**F20**				
Compact laminate samas black	**F28**	+ 371,00	+ 371,00	+ 467,60	+ 1.111,60
Fenix® black anti-fingerprint	**F03**	+ 705,60	+ 705,60	+ 889,00	+ 2.112,60
Compact laminate pulpis light	**F26**	+ 1.009,40	+ 1.009,40	+ 1.272,60	+ 3.026,80
Light oak laminated MDF	**L10**	+ 450,80	+ 450,80	+ 716,80	+ 1.841,00
STRUCTURE FINISH					
Black	**08**				
TABLETOP TYPE					
Round corners / Fixed	**2**				
ELECTRIC CONTROL TYPE					
Digital Programmable control	US 120v	**B1**			
	EU 220v	**B2**			
	UK 220v	**B3**			

WIRING ACCESS · OPTIONAL						
TYPE OF WIRING ACCESS	**SURFACE TYPE**					
Aluminium cover, 95° opening, 23x11,5cm	Compact Laminate / Laminated MDF	**DC**	+ 110,60	+ 110,60	+ 110,60	+ 221,20
Aluminium cover, 110° opening, 30,5x12,1cm	Compact Laminate / Laminated MDF	**QC**	+ 81,20	+ 81,20	+ 81,20	
Cover integrated with the surface, 180° opening, 30,5x12,1cm	Compact Laminate	**RC**	+ 105,00	+ 105,00	+ 105,00	